

科技創新 引領未來

science and technological
innovation lead the future



PSC系列刀具

PSC Tool Holder Series

-PSC刀柄

-PSC刀座




厦门恺坤精密工具有限公司

Xiamen Camum Precision Tools Co., Ltd

2024

索引 INDEX

內孔刀具 PSC One-Piece Boring Bar Holder

PCLNR/L-HP  07	DCLNR/L  08	PCLNR/L-M1  09	PDUNR/L-HP  10
DDUNR/L  11	PDUNR/L-M1  12	PSKNR/L-HP  13	PSKNR/L-M1  14
DTFNR/L  15	PTFNR/L-W  16	MVUNR/L  17	PWLNR/L-HP  18
DWLNR/L  19	MWLNR/L  20	SCLCR/L-HP  21	SCLCR/L  22
SDUCR/L-HP  23	SDUCR/L  24	SSKCR  25	STFCR/L-HPB  26
STFCR/L-B  27	SVQBR/L-HP  28	SVQBR/L-B  29	SDUCR/L-X  30
SNR/L  31			

外徑刀具 PSC One-Piece Turning Holder

PCLNR/L-HP  32	DCMNN  33	DCLNR/L  34	DCRNR/L  35
DCKNR/L  36	PCLNR/L  37	PDJNR/L-HP  38	DDMNR/L  39

索引 INDEX

外徑刀具 PSC One-Piece Turning Holder

DDJNR/L  40	DDNNN  41	DDUNR/L  42	PDJNR/L  43
DRSNR/L  44	PRSCR/L  45	PSSNR/L-HP  46	DSDNN  47
DSRNR/L  48	DSSNR/L  49	PSKNR/L  50	PSRNR/L  51
PSSNR/L  52	PSDNN  53	DTGNR/L  54	DTTNR/L  55
MTJNR/L  56	DVJNR/L  57	MVJNR/L  58	DWLNR/L  59
MWLNR/L  60	SCLCR/L-HPA  61	SCLCR/L  62	SCMCN  63
SDJCR/L-HPA  64	SDNCN  65	SRSCR/L-HP  66	SRDCN-HPA  67
SRSCR/L-HPA  68	SRDCN  69	SRDCN-A  70	SRSCR/L  71
STJCR/L  72	SVJBR/L-HP  73	SVHBR/L-HPA  74	SVJBR/L-HPAB  75
SVHBR/L  76	SVVBN  77	SVMBL  78	SVSBR/L-HPA  79

索引 INDEX

外徑刀具 PSC One-Piece Turning Holder

R/LFA-E



80

SER/L



81

複合加工機 PSC 刀座 Composite Machining Machine PSC Tool Holder

PSC 軸向雙面外徑刀座
PSC DOUBLE SIDE TURNING HOLDER



83

PSC 45度外徑刀座
PSC 45DEGREE TURNING HOLDER



83

PSC 徑向外徑刀座
PSC RADIAL TURNING HOLDER



84

PSC 軸向外徑刀座
PSC AXIAL TURNING HOLDER



84

PSC軸向三面外徑刀座
PSC TURNING HOLDER WITH
TRIPLE ADAPTER



85

PSC 內孔刀座
PSC BORING BAR HOLDER



85

PSC 模組化內孔車刀座
PSC BORING BAR HOLDER
WITH INTERCHANGEABLE HEAD



86

PSC模組化四工位車刀座
PSC TURNING HOLDER WITH
QUAD-INTERCHANGEABLE HEAD



87

PSC模組化三工位車刀座
PSC TURNING HOLDER WITH
TRIPLE INTERCHANGEABLE HEAD



88

模組化車刀-D型
INTERCHANGERABLE HEAD-D TYPE



89

PSC 模組化外徑車刀座
PSC TURNING HOLDER WITH INTERCHANGEABLE HEAD



94

複合加工機 PSC 柄 Composite Machining Machine PSC Tool

ESF燒結刀柄-PSC柄
SHRINK FIT HOLDER-PSC SHANK



111

HDC油壓刀柄-PSC刀柄
HYDRAULIC HOLDER-PSC SHANK



112

SD精密彈性筒夾刀柄-PSC刀柄
SD COLLET HOLDER-PSC SHANK



113

ER精密彈性筒夾刀柄-PSC刀柄
ER COLLET HODER-PSC SHANK



114

FMA面銑刀柄-PSC刀柄
FMA FACE MILL CUTTER HOLDER
-PSC SHANK



115

FMB(C)面銑刀柄-PSC刀柄
FMB(C)FACE MILL CUTTER TURNING
HOLDERS-PSC SHANK



116

SL側固式端銑刀柄-PSC刀柄
SL SIDE LOCK HOLDER-PSC SHANK



117

EMC強力銑刀刀柄-PSC柄
EMC POWERFUL MILLHODERS
-PSC SHANK



118

EM小銑頭刀柄-PSC柄
EM SMALL MILLING HEAD HOLDER
-PSC SHANK



119

阻尼減震鏜刀-PSC柄
DAMPING BORING HEAD-PSC SHANK



120

ECK鏜刀刀柄-PSC柄
ECK BORING HOLDER-PSC SHANK



121

PSC 精鏜頭
TYPE PSC FINE BORING HEAD



122

PSC 鏜刀刀柄 - HSK 柄
PSC BORING HOLDER
-HSK SHANK (DIN69893A)



123

PSC 鏜刀刀柄 - BT柄
PSC BORING HOLDER



123

PSC 延長桿
PSC EXTENSION SHANK



124

PSC 減徑桿
PSC REDUCTION SHANK



124

索引 INDEX

PSC刀座 PSC Tool Holder Series

BMT刀塔-PSC模組化固定刀座

BMT - PSC Static Tool Holder

125

BMT刀塔-PSC模組化動力刀座

BMT - PSC Driven Tool Holder

131

MAZAK機床-PSC模組化固定刀座

MAZAK-PSC Static Tool Holder

133

MAZAK機床-PSC模組化動力刀座

MAZAK-PSC Driven Tool Holder

137

Mori seiki機床-PSC模組化固定刀座

Mori Seiki - PSC Static Tool Holder

141

Mori seiki機床-PSC模組化動力刀座

Mori Seiki - PSC Driven Tool Holder

145

Nakamura Tome機床-PSC模組化固定刀座

Nakamura Tome - PSC Static Tool Holder

147

Nakamura Tome機床-PSC模組化動力刀座

Nakamura Tome - PSC Driven Tool Holder

151

Okuma機床-PSC模組化固定刀座

Okuma - PSC Static Tool Holder

153

Okuma機床-PSC模組化動力刀座

Okuma - PSC Driven Tool Holder

159

非特定機床的PSC模組化固定刀座

Non-specific Machine Type - PSC Static Tool Holder

161

刀座附件系列 Accessories

PSC 手動快換系列配件表

PSC manual quic change accessories

164



● 針對外圓車削而優化
Optimization of external turning




● 用于細長零件外圓和內孔車削
Used for the external turning and internal drilling of long, narrow parts




- 縱向車削
vertical turning
- 仿形加工
face turning
- 背鏜
boring
- 直徑自6mm起的孔的內孔車削
internal drilling of holes larger than 6mm in diameter
- 半精加工到精加工
from semi-finishing to finish machining

● 渦殼加工解決方案
Solution for Volute Machining




- 內徑車削
ID turning
- 外徑與端面車削
OD and face turning
- 非標定制成型車刀
non-standard customized form tool
- 半精加工到精加工
from semi-finishing to finish machining





機床夾緊單元的適配件，專為特定的接口設計，能通過縮短裝夾和生產時間而使機床的利用率大為提升。


Adapter for the machine locking unit, custom-designed for specific interfaces. By shortening the clamping and production times, the utilization rate of the machine can be greatly increased.



這些夾緊單元與動力刀座專為匹配專用的轉塔接口而設計。


These locking units and power tool holders are custom-designed for specific turret interfaces.

● 如何選擇夾緊單元 How to choose clamping unit




內圓裝夾 ▲
Internal setup
外圓裝夾 ▼
Outer setup

- ☐ 左手型刀具
Left-hand type tool
- ☐ 右手型刀具
Right-hand type tool
- ☐ 左手型夾緊單元
Left-hand type clamping unit
- ☐ 右手型夾緊單元
Right-hand type clamping unit
- ☐ 主軸順時針旋轉
Clockwise spindle rotation
- ☐ 主軸逆時針旋轉
Counter-clockwise spindle rotation




● 如何選擇夾緊單元 How to choose clamping unit



內圓裝夾 ▲
Internal setup
外圓裝夾 ▼
Outer setup

- ☐ 左手型刀具
Left-hand type tool
- ☐ 右手型刀具
Right-hand type tool
- ☐ 左手型夾緊單元
Left-hand type clamping unit
- ☐ 右手型夾緊單元
Right-hand type clamping unit
- ☐ 主軸順時針旋轉
Clockwise spindle rotation
- ☐ 主軸逆時針旋轉
Counter-clockwise spindle rotation



PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

PCLNR/L-HP



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-PCLNR/L-13080-09HP	40	20	80	13	51.9	25	0.38	CNMG090308
C5-PCLNR/L-13080-09HP	50	20	80	13	50.6	25	0.56	CNMG090308
C3-PCLNR/L-17090-12HP	32	25	90	17	71.8	32	0.34	CNMG120408
C3-PCLNR/L-22064-12HP	32	32	64	22	48	40	0.33	CNMG120408
C3-PCLNR/L-22096-12HP	32	32	96	22	80	40	0.51	CNMG120408
C4-PCLNR/L-17090-12HP	40	25	90	17	63.4	32	0.46	CNMG120408
C4-PCLNR/L-22110-12HP	40	32	110	22	86.6	40	0.71	CNMG120408
C4-PCLNR/L-27080-12HP	40	40	80	27	59	50	0.66	CNMG120408
C4-PCLNR/L-27120-12HP	40	40	120	27	99	50	1.02	CNMG120408
C5-PCLNR/L-17090-12HP	50	25	90	17	61.3	32	0.65	CNMG120408
C5-PCLNR/L-22110-12HP	50	32	110	22	82.2	40	0.89	CNMG120408
C5-PCLNR/L-27140-12HP	50	40	140	27	115.6	50	1.39	CNMG120408
C5-PCLNR/L-35100-12HP	50	50	100	35	79	63	1.32	CNMG120408
C6-PCLNR/L-17100-12HP	63	25	100	17	67.5	32	1.03	CNMG120408
C6-PCLNR/L-22100-12HP	63	32	110	22	78.5	40	1.24	CNMG120408
C5-PCLNR/L-35150-16HP	50	50	150	35	129	63	2.02	CNMG160612
C6-PCLNR/L-27140-16HP	63	40	140	27	109.5	50	1.68	CNMG160612
C6-PCLNR/L-35175-16HP	63	50	175	35	146.7	63	2.71	CNMG160612

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

DCLNR/L



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-DCLNR/L-13080-09	40	20	80	13	57	25	0.33	CNMG090308
C5-DCLNR/L-13080-09	50	20	80	13	56	25	0.6	CNMG090308
C4-DCLNR/L-17090-12	40	25	90	17	68	32	0.46	CNMG120408
C5-DCLNR/L-17090-12	50	25	90	17	66	32	0.64	CNMG120408
C6-DCLNR/L-17090-12	63	25	100	17	72	32	0.9	CNMG120408
C6-DCLNR/L-27140-16	63	40	140	27	114	50	1.7	CNMG160612

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

PCLNR/L-M1



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-PCLNR/L-13080-09M1	40	20	80	13	52	25	0.38	CNMG090308
C5-PCLNR/L-13080-09M1	50	20	80	13	51	25	0.56	CNMG090308
C3-PCLNR/L-17090-12M1	32	25	90	17	72	32	0.34	CNMG120408
C3-PCLNR/L-22064-12M1	32	32	64	22	48	40	0.33	CNMG120408
C3-PCLNR/L-22096-12M1	32	32	96	22	80	40	0.51	CNMG120408
C4-PCLNR/L-17090-12M1	40	25	90	17	64	32	0.46	CNMG120408
C4-PCLNR/L-22110-12M1	40	32	110	22	87	40	0.71	CNMG120408
C4-PCLNR/L-27080-12M1	40	40	80	27	59	50	0.66	CNMG120408
C4-PCLNR/L-27120-12M1	40	40	120	27	99	50	1.02	CNMG120408
C5-PCLNR/L-17090-12M1	50	25	90	17	61	32	0.65	CNMG120408
C5-PCLNR/L-22110-12M1	50	32	110	22	82	40	0.89	CNMG120408
C5-PCLNR/L-27140-12M1	50	40	140	27	115	50	1.39	CNMG120408
C5-PCLNR/L-35100-12M1	50	50	100	35	79	63	1.32	CNMG120408
C6-PCLNR/L-17100-12M1	63	25	100	17	68	32	1.03	CNMG120408
C6-PCLNR/L-22100-12M1	63	32	110	22	78	40	1.24	CNMG120408
C5-PCLNR/L-35150-16M1	50	50	150	35	129	63	1.32	CNMG160612
C6-PCLNR/L-27140-16M1	63	40	140	27	110	50	1.68	CNMG160612
C6-PCLNR/L-35175-16M1	63	50	175	35	147	63	2.71	CNMG160612

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

PDUNR/L-HP



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-PDUNR/L-17090-11HP	32	25	90	17	71.8	32	0.34	DNMG110408
C4-PDUNR/L-17090-11HP	40	25	90	17	63.4	32	0.45	DNMG110408
C4-PDUNR/L-22110-11HP	40	32	110	22	86.6	40	0.72	DNMG110408
C5-PDUNR/L-17090-11HP	50	25	90	17	61.3	32	0.65	DNMG110408
C5-PDUNR/L-22110-11HP	50	32	110	22	82.2	40	0.9	DNMG110408
C6-PDUNR/L-17100-11HP	63	25	100	17	67.5	32	1.04	DNMG110408
C4-PDUNR/L-27080-15HP	40	40	90	27	59	50	0.65	DNMG150608
C4-PDUNR/L-27120-15HP	40	40	120	27	99	50	1	DNMG150608
C5-PDUNR/L-27140-15HP	50	40	140	27	115.6	50	1.38	DNMG150608
C5-PDUNR/L-35100-15HP	50	50	100	35	79	63	1.35	DNMG150608
C5-PDUNR/L-35150-15HP	50	50	150	35	129	63	2.07	DNMG150608
C6-PDUNR/L-22110-15HP	63	32	110	22	78.5	40	1.23	DNMG150608
C6-PDUNR/L-27140-15HP	63	40	140	27	109.5	50	1.71	DNMG150608
C6-PDUNR/L-35175-15HP	63	50	175	35	146.7	63	2.77	DNMG150608

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

DDUNR/L



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-DDUNR/L-17090-11	40	25	90	17	68	32	0.46	DNMG110408
C5-DDUNR/L-17090-11	50	25	90	17	66	32	0.64	DNMG110408
C4-DDUNR/L-27080-15	40	39.7	80	27	59	50	0.64	DNMG150608
C5-DDUNR/L-27140-15	50	40	140	27	118	50	1.3	DNMG150608
C6-DDUNR/L-27140-15	63	40	140	27	114	50	1.69	DNMG150608

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

PDUNR/L-M1



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-PDUNR/L-17090-11M1	32	25	90	17	72	32	0.46	DNMG110408
C4-PDUNR/L-17090-11M1	40	25	90	17	63	32	0.46	DNMG110408
C4-PDUNR/L-22110-11M1	40	32	110	22	87	40	0.71	DNMG110408
C5-PDUNR/L-17090-11M1	50	25	90	17	61	32	0.65	DNMG110408
C5-PDUNR/L-22110-11M1	50	32	110	22	82	40	0.89	DNMG110408
C6-PDUNR/L-17110-11M1	63	25	100	17	67	32	1.03	DNMG110408
C4-PDUNR/L-27080-15M1	40	40	80	27	59	50	0.64	DNMG150608
C4-PDUNR/L-27120-15M1	40	40	120	27	99	50	0.99	DNMG150608
C5-PDUNR/L-27140-15M1	50	40	140	27	115	50	1.37	DNMG150608
C5-PDUNR/L-35100-15M1	50	50	100	35	79	63	1.32	DNMG150608
C5-PDUNR/L-35150-15M1	50	50	150	35	129	63	2.04	DNMG150608
C6-PDUNR/L-22110-15M1	63	32	110	22	78	40	1.22	DNMG150608
C6-PDUNR/L-27140-15M1	63	40	140	27	110	50	1.7	DNMG150608
C6-PDUNR/L-35175-15M1	63	50	175	35	147	63	2.74	DNMG150608

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

PSKNR/L-HP



訂貨型號 Order Code	D	d	L	L1	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-PSKNR/L-17090-12HP	40	25	90	93.1	17	63.4	32	0.47	SNMG120408
C4-PSKNR/L-22110-12HP	40	32	110	113.1	22	86.6	40	0.73	SNMG120408
C5-PSKNR/L-17090-12HP	50	25	90	93.1	17	61.3	32	0.66	SNMG120408
C5-PSKNR/L-22110-12HP	50	32	110	113.1	22	82.2	40	0.92	SNMG120408
C5-PSKNR/L-27140-12HP	50	40	140	143.1	27	115.6	50	1.42	SNMG120408
C6-PSKNR/L-22110-12HP	63	32	110	113.1	22	78.5	40	1.26	SNMG120408
C6-PSKNR/L-35175-15HP	63	50	175	178.8	35	146.7	63	2.81	SNMG150608

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

PSKNR/L-M1



訂貨型號 Order Code	D	d	L	L1	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-PSKNL-22110-12M1	40	32	110	113.1	22	87	40	0.72	SNMG120408
C4-PSKNR-17090-12M1	40	25	90	93.1	17	63	32	0.47	SNMG120408
C5-PSKNR/L-27140-12M1	50	40	140	143.1	27	116	50	1.4	SNMG120408
C5-PSKNR-17090-12M1	50	25	90	93.1	17	61	32	0.66	SNMG120408
C5-PSKNR-22110-12M1	50	32	110	113.1	22	82	40	0.9	SNMG120408
C6-PSKNR-22110-12M1	63	32	110	113.1	22	78	40	1.25	SNMG120408
C6-PSKNR/L-35175-15M1	63	50	175	178.8	35	147	63	2.76	SNMG150608

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

DTFNR/L



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-DTFNR/L-17090-16	40	25	90	17	68	32	0.55	TNMG160408
C5-DTFNR/L-17090-16	50	25	90	17	66	32	0.55	TNMG160408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

PTFNR/L-W



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-PTFNR-17090-16W	32	25	90	17	75	32	0.34	TNMG160408
C4-PTFNR/L-17090-16W	40	25	90	17	69	32	0.45	TNMG160408
C4-PTFNR/L-22110-16W	40	32	110	22	89	40	0.69	TNMG160408
C4-PTFNR/L-27120-16W	40	40	120	27	100	50	0.8	TNMG160408
C5-PTFNR/L-17090-16W	50	25	90	17	67	32	0.65	TNMG160408
C5-PTFNR/L-22110-16W	50	32	110	22	88	40	0.87	TNMG160408
C5-PTFNR/L-27140-16W	50	40	140	27	119	50	1.34	TNMG160408
C6-PTFNR/L-22110-16W	63	32	110	22	84	40	1.4	TNMG160408
C6-PTFNR/L-27140-16W	63	40	140	27	115	50	1.7	TNMG160408
C5-PTFNR-27140-22W	50	40	140	27	119	50	1.34	TNMG220408
C6-PTFNR/L-27140-22W	63	40	140	27	115	50	1.7	TNMG220408
C6-PTFNR/L-35175-22W	63	50	175	35	152	63	2.7	TNMG220408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

MVUNR/L



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-MVUNR/L-27120-16	40	40	120	27	100	50	0.5	VNMG160408
C5-MVUNR/L-27140-16	50	40	140	27	119	50	0.65	VNMG160408
C5-MVUNR/L-35150-16	50	50	150	35	131	63	0.65	VNMG160408
C6-MVUNL-22120-16	63	32	120	22	94	40	1.2	VNMG160408
C6-MVUNR-35175-16	63	50	175	35	152	63	1.7	VNMG160408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

PWLNR/L-HP



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-PWLNR/L-17090-08HP	40	25	90	17	63.4	32	0.46	WNMG080408
C5-PWLNR/L-22110-08HP	50	32	110	22	82.2	40	0.88	WNMG080408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

DWLNR/L



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-DWLNR/L-13075-06	40	20	75	13	52	27	0.33	WNMG060408
C4-DWLNR/L-17090-08	40	25	90	17	68	33	0.46	WNMG080408
C5-DWLNR/L-17090-08	50	25	90	17	66	33	0.55	WNMG080408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

MWLNR/L



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-MWLNR/L-13075-06	32	20	75	13	59	25	0.3	WNMG060408
C4-MWLNR/L-13075-06	40	20	75	13	53	25	0.5	WNMG060408
C4-MWLNR/L-17090-06M1	40	25	90	17	69	32	0.5	WNMG060408
C4-MWLNR/L-17090-08	40	25	90	17	69	32	0.5	WNMG080408
C4-MWLNR/L-22110-08	40	32	110	22	89	40	0.5	WNMG080408
C4-MWLNR/L-27120-08	40	40	120	27	100	50	0.5	WNMG080408
C5-MWLNR/L-17090-08	50	25	90	17	67	32	0.65	WNMG080408
C5-MWLNR/L-22110-08	50	32	110	22	88	40	0.65	WNMG080408
C5-MWLNR/L-27120-08	50	40	140	27	119	50	0.65	WNMG080408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

SCLCR/L-HP



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-SCLCR/L-11065-09HP	32	16	65	11	48	21.5	0.17	CCMT09T308
C4-SCLCR/L-11070-09HP	40	16	70	11	47	21.5	0.35	CCMT09T308
C4-SCLCR/L-13080-09HP	40	20	80	13	57	25	0.35	CCMT09T308
C5-SCLCR/L-11070-09HP	50	16	70	11	46	21.5	0.5	CCMT09T308
C5-SCLCR/L-13080-09HP	50	20	80	13	56	25	0.5	CCMT09T308
C4-SCLCR/L-17090-12HP	40	25	90	17	69	32	0.35	CCMT120408
C5-SCLCR/L-17090-12HP	50	25	90	17	67	32	0.5	CCMT120408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

SCLCR/L



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-SCLCL-17090-09	32	25	90	17	74	32	0.3	CCMT09T308
C3-SCLCR/L-11065-09	32	16	65	11	48	20	0.3	CCMT09T308
C3-SCLCR/L-13075-09	32	20	75	13	58	25	0.3	CCMT09T308
C4-SCLCR/L-11070-09	40	16	70	11	47	20	0.5	CCMT09T308
C4-SCLCR/L-13080-09	40	20	80	13	57	25	0.5	CCMT09T308
C4-SCLCR/L-17090-09	40	25	90	17	68	32	0.5	CCMT09T308
C4-SCLCR/L-27080-09	40	40	80	27	60	50	0.5	CCMT09T308
C5-SCLCR/L-11070-09	50	16	70	11	46	20	0.65	CCMT09T308
C5-SCLCR/L-13080-09	50	20	80	13	56	25	0.65	CCMT09T308
C5-SCLCR/L-17090-09	50	25	90	17	67	32	0.65	CCMT09T308
C5-SCLCR-35100-09	50	50	100	35	80	63	0.65	CCMT09T308
C3-SCLCR-17090-12	32	25	90	17	74	32	0.3	CCMT120408
C3-SCLCR-22096-12	32	32	96	22	81	40	0.3	CCMT120408
C4-SCLCR/L-17090-12	40	25	90	17	68	32	0.5	CCMT120408
C4-SCLCR/L-22110-12	40	32	110	22	89	40	0.5	CCMT120408
C4-SCLCR/L-27080-12	40	40	80	27	60	50	0.5	CCMT120408
C5-SCLCR/L-17090-12	50	25	90	17	67	32	0.65	CCMT120408
C5-SCLCR/L-22110-12	50	32	110	22	88	40	0.65	CCMT120408
C5-SCLCR/L-27140-12	50	40	140	27	119	50	0.65	CCMT120408
C5-SCLCR-35110-12	50	50	100	35	80	63	0.65	CCMT120408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

SDUCR/L-HP



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-SDUCR/L-13080-07HP	40	20	80	13	58	25	0.35	DCMT070204
C5-SDUCR/L-13080-07HP	50	20	80	13	56	25	0.5	DCMT070204
C4-SDUCR/L-13080-11HP	40	20	80	13	58	25	0.35	DCMT11T308
C4-SDUCR/L-17090-11HP	40	25	90	17	69	32	0.35	DCMT11T308
C5-SDUCR/L-13080-11HP	50	20	80	13	56	25	0.5	DCMT11T308
C5-SDUCR/L-17090-11HP	50	25	90	17	67	32	0.5	DCMT11T308

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

SDUCR/L



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-SDUCR/L-11065-07	32	16	65	11	48	20	0.3	DCMT070204
C4-SDUCR/L-11070-07	40	16	70	11	47	20	0.5	DCMT070204
C5-SDUCR/L-11070-07	50	16	70	11	46	20	0.65	DCMT070204
C3-SDUCR/L-13075-11	32	20	75	13	58	25	0.3	DCMT11T308
C3-SDUCR/L-17090-11	32	25	90	17	73	32	0.3	DCMT11T308
C3-SDUCR/L-22096-11	32	32	96	22	81	40	0.3	DCMT11T308
C4-SDUCR/L-13080-11	40	20	80	13	57	25	0.5	DCMT11T308
C4-SDUCR/L-17090-11	40	25	90	17	68	32	0.5	DCMT11T308
C4-SDUCR/L-22110-11	40	32	110	22	89	40	0.5	DCMT11T308
C4-SDUCR/L-27080-11	40	40	80	27	60	50	0.5	DCMT11T308
C5-SDUCR/L-13080-11	50	20	80	13	56	25	0.65	DCMT11T308
C5-SDUCR/L-17090-11	50	25	90	17	67	32	0.65	DCMT11T308
C5-SDUCR/L-22110-11	50	32	110	22	88	40	0.65	DCMT11T308
C5-SDUCR/L-35100-11	50	50	100	35	80	63	0.65	DCMT11T308

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

SSKCR



訂貨型號 Order Code	D	d	L	L1	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-SSKCR-13080-09	40	20	80	82.2	13	58	25	0.36	SCMT09T308
C5-SSKCR-13080-09	50	20	80	82.2	13	56	25	0.54	SCMT09T308

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

STFCR/L-HPB



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-STFCR/L-11070-11HPB1	40	16	70	11	47	20	0.35	TCMT110304
C4-STFCR/L-13080-11HPB1	40	20	80	13	57	25	0.35	TCMT110304
C4-STFCR/L-17090-16HP	40	25	90	17	69	32	0.35	TCMT16T308
C5-STFCR/L-17090-16HP	50	25	90	17	67	32	0.5	TCMT16T308
C5-STFCR/L-22110-16HP	50	32	110	22	88	40	0.5	TCMT16T308

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

STFCR/L-B



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-STFCR/L-11065-11-B1	32	16	65	11	48	20	0.15	TCMT110304
C3-STFCR/L-11065-11	32	16	65	11	48	20	0.15	TCMT110204
C4-STFCR/L-11070-11	40	16	70	11	47	20	0.31	TCMT110204
C4-STFCR/L-11070-11-B1	40	16	70	11	47	20	0.34	TCMT110304
C4-STFCR/L-13080-11	40	20	80	13	57	25	0.36	TCMT110204
C4-STFCR/L-13080-11-B1	40	20	80	13	57	25	0.36	TCMT110304
C5-STFCR/L-11070-11-B1	50	16	70	11	46	20	0.45	TCMT110304
C5-STFCR/L-13080-11-B1	50	20	80	13	56	25	0.54	TCMT110304
C5-STFCR-11070-11	50	16	70	11	46	20	0.45	TCMT110204
C5-STFCR-13080-11	50	20	80	13	56	25	0.54	TCMT110204
C3-STFCR-17090-16	32	25	90	17	74	32	0.34	TCMT16T308
C4-STFCR/L-17090-16	40	25	90	17	68	32	0.45	TCMT16T308
C4-STFCR/L-22110-16	40	32	110	22	89	40	0.69	TCMT16T308
C5-STFCR/L-17090-16	50	25	90	17	67	32	0.65	TCMT16T308
C5-STFCR/L-22110-16	50	32	110	22	88	40	0.87	TCMT16T308

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

SVQBR/L-HP



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C4-SVQBR/L-13070-11HPB1	40	20	70	13	47	25	0.35	VBMT110304
C4-SVQBR/L-18090-16HP	40	25	90	18	68	33	0.35	VBMT160408
C5-SVQBR/L-18090-16HP	50	25	90	18	67	33	0.5	VBMT160408
C6-SVQBR/L-22120-16HP	63	32	120	22	94	40	1.25	VBMT160408

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder

SVQBR/L-B



訂貨型號 Order Code	D	d	L	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-SVQBR/L-13070-11-B1	32	16	70	13	53	22	0.3	VBMT110304
C3-SVQBR/L-15080-11-B1	32	20	80	15	63	27	0.3	VBMT110304
C4-SVQBR/L-13070-11-B1	40	20	70	13	47	25	0.5	VBMT110304
C4-SVQBR/L-15080-11-B1	40	20	80	15	57	27	0.5	VBMT110304
C4-SVQBR/L-13070-11	40	20	70	15	48	25	0.5	VBMT110204
C4-SVQBR/L-15080-11	40	20	80	13	58	27	0.5	VBMT110204
C5-SVQBR/L-15080-11	50	20	80	15	57	27	0.65	VBMT110204
C5-SVQBR/L-15080-11-B1	50	20	80	15	56	27	0.65	VBMT110304

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder


SDUCR/L-X



訂貨型號 Order Code	D	d	L	L1	C	M	DMIN1	Kg	刀片型號 Insert Type
C3-SDUCR-15080-07X	32	20	80	91.5	15	63.9	27	0.25	DCMT070204
C4-SDUCR/L-13070-07X	40	16	70	81.5	13	47.3	22	0.35	DCMT070204
C4-SDUCR/L-15080-07X	40	20	80	91.5	15	47.9	27	0.4	DCMT070204
C4-SDUCR/L-18090-07X	40	25	90	101.5	18	68.5	32	0.5	DCMT070204
C5-SDUCR/L-15080-07X	50	20	80	91.5	15	56.5	27	0.6	DCMT070204
C5-SDUCR/L-18090-07X	50	25	90	101.5	18	67.2	32	0.7	DCMT070204

PSC一體式內孔刀具 PSC One-Piece Boring Bar Holder



SNR/L



訂貨型號 Order Code	D	d	L	C	Kg	刀片型號 Insert Type
C3-SNR/L-08060-11	32	13	60	8	0.24	11IR ISO(0.35-2.0)
C3-SNR/L-12060-11	32	13	60	12	0.24	11IR ISO(0.35-2.0)
C4-SNR/L-08060-11	40	13	60	8	0.3	11IR ISO(0.35-2.0)
C4-SNR/L-12060-11	40	13	60	12	0.3	11IR ISO(0.35-2.0)
C5-SNR/L-08060-11	50	13	60	8	0.33	11IR ISO(0.35-2.0)
C5-SNR/L-12060-11	50	13	60	12	0.33	11IR ISO(0.35-2.0)
C6-SNR/L-08060-11	63	13	60	8	0.4	11IR ISO(0.35-2.0)
C6-SNR/L-12060-11	63	13	60	12	0.4	11IR ISO(0.35-2.0)
C3-SNR/L-12050-16	32	15	50	12	0.21	16IR ISO
C3-SNR/L-14060-16	32	18	60	14	0.24	16IR ISO
C4-SNR/L-12060-16	40	15	60	12	0.55	16IR ISO
C4-SNR/L-14060-16	40	18	60	14	0.51	16IR ISO
C4-SNR/L-17070-16	40	24	70	17	0.52	16IR ISO
C4-SNR/L-22090-16	40	32	90	22	0.52	16IR ISO
C5-SNR/L-12060-16	50	15	60	12	0.55	16IR ISO
C5-SNR/L-14060-16	50	18	60	14	0.55	16IR ISO
C5-SNR/L-17070-16	50	24	70	17	0.55	16IR ISO
C5-SNR/L-22090-16	50	32	90	22	0.55	16IR ISO
C5-SNR/L-27105-16	50	40	105	27	0.55	16IR ISO
C6-SNR/L-14070-16	63	18	70	14	0.55	16IR ISO
C6-SNR/L-17070-16	63	24	70	17	0.55	16IR ISO
C6-SNR/L-22090-16	63	32	90	22	1.1	16IR ISO
C6-SNR/L-27105-16	63	40	105	27	1.35	16IR ISO

PSC一體式外徑刀具 PSC One-Piece Turning Holder


PCLNR/L-HP



訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-PCLNR/L-27050-12HP	40	50	27	110	140	0.34	CNMG120408
C5-PCLNR/L-35060-12HP	50	60	35	110	165	0.71	CNMG120408
C6-PCLNR/L-45065-12HP	63	65	45	110	195	1.10	CNMG120408
C8-PCLNR/L-55080-12HP	80	80	55	110	250	2.50	CNMG120408
C5-PCLNR/L-35060-16HP	50	60	35	125	165	0.76	CNMG160612
C6-PCLNR/L-45065-16HP	63	65	45	110	195	1.25	CNMG160612
C8-PCLNR/L-55080-16HP	80	80	55	125	250	2.54	CNMG160612
C6-PCLNR/L-45065-19HP	63	65	45	110	195	1.25	CNMG190612
C8-PCLNR/L-55080-19HP	80	80	55	150	250	2.48	CNMG190612
C10-PCLNR/L-68110-19HP	100	110	68	220	315	5.25	CNMG190612

PSC一體式外徑刀具 PSC One-Piece Turning Holder


DCMNN



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C5-DCMNN-00105-12	50	105	0	1.09	CNMG120408
C6-DCMNN-00090-12	63	90	0	1.3	CNMG120408
C6-DCMNN-00115-12	63	115	0	1.7	CNMG120408
C6-DCMNN-00090-16	63	90	0	1.3	CNMG160612
C8-DCMNN-00150-16	80	150	0	3.3	CNMG160612


PSC一體式外徑刀具 PSC One-Piece Turning Holder

DCLNR/L




訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-DCLNR/L-27050-09	40	50	27	60	140	0.33	CNMG090308
C3-DCLNR/L-22045-12	32	45	22	60	121	0.26	CNMG120408
C4-DCLNR/L-27050-12	40	50	27	110	140	0.33	CNMG120408
C5-DCLNR/L-35060-12	50	60	35	110	165	0.87	CNMG120408
C6-DCLNR/L-45065-12	63	65	45	110	190	1.31	CNMG120408
C8-DCLNR/L-55080-12	80	80	55	110	250	2.36	CNMG120408
C4-DCLNR/L-27055-16	40	55	27	125	145	0.46	CNMG160612
C5-DCLNR/L-35060-16	50	60	35	125	165	0.71	CNMG160612
C6-DCLNR/L-45065-16	63	65	45	125	190	1.31	CNMG160612
C8-DCLNR/L-55080-16	80	80	55	125	250	2.37	CNMG160612
C5-DCLNR/L-35060-19	50	60	35	80	165	0.87	CNMG190612
C6-DCLNR/L-45065-19	63	65	45	81	190	1.31	CNMG190612
C8-DCLNR/L-55080-19	80	80	55	100	250	2.34	CNMG190612
C8-DCLNR/-55080-25	80	80	55	150	250	2.36	CNMG190612

DCRNR/L



訂貨型號 Order Code	D	L	C	DMIN2	Kg	刀片型號 Insert Type
C4-DCRNR/L-22050-12	40	50	22	10	0.46	CNMG120408
C5-DCRNR/L-27060-12	50	60	27	10	0.87	CNMG120408
C6-DCRNR/L-35065-12	63	65	35	10	1.30	CNMG120408
C5-DCRNR/L-27060-16	50	60	27	10	0.71	CNMG160612
C6-DCRNR/L-35065-16	63	65	35	10	1.30	CNMG160612
C8-DCRNR/L-55080-16	80	80	55	10	2.37	CNMG160612
C5-DCRNR/L-27060-19	50	60	27	10	0.71	CNMG190612
C6-DCRNR/L-35065-19	63	65	35	10	1.30	CNMG190612
C8-DCRNR/L-55080-19	80	80	55	10	2.37	CNMG190612



DCKNR/L



訂貨型號 Order Code	D	L	C	DMIN1	Kg	刀片型號 Insert Type
C4-DCKNR/L-27050-12	40	50	27	110	0.49	CNMG120408
C5-DCKNR/L-35060-12	50	60	35	110	0.85	CNMG120408
C6-DCKNR/L-45065-12	63	65	45	110	1.31	CNMG120408
C5-DCKNR/L-35060-16	50	60	35	125	0.85	CNMG160612
C6-DCKNR/L-45065-16	63	65	45	125	1.31	CNMG160612
C6-DCKNR/L-45065-19	63	65	45	81	1.31	CNMG190612
C8-DCKNR/L-55080-19	80	80	55	100	2.37	CNMG190612

PSC一體式外徑刀具 PSC One-Piece Turning Holder

PCLNR/L





訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-PCLNR/L-22040-12	32	40	22	0.23	CNMG120408
C4-PCLNR/L-27050-12	40	50	27	0.46	CNMG120408
C5-PCLNR/L-35060-12	50	60	35	0.88	CNMG120408
C6-PCLNR/L-45065-12	63	65	45	1.70	CNMG120408
C8-PCLNR/L-55080-12	80	80	55	3.38	CNMG120408
C4-PCLNR/L-27050-16	40	50	27	0.46	CNMG160612
C5-PCLNR/L-35060-16	50	60	35	0.88	CNMG160612
C6-PCLNR/L-45065-16	63	65	45	1.30	CNMG160612
C8-PCLNR/L-55080-16	80	80	55	3.38	CNMG160612
C5-PCLNR/L-35060-19	50	60	35	0.88	CNMG190612
C6-PCLNR/L-45065-19	63	65	45	1.30	CNMG190612
C8-PCLNR/L-55080-19	80	80	55	3.38	CNMG190612
C8-PCLNR/L-55080-25	80	80	55	3.40	CNMG250924
C10-PCLNR/L-68110-25	100	110	68	5.28	CNMG250924

PSC一體式外徑刀具 PSC One-Piece Turning Holder


PDJNR/L-HP

PDMNR/L-HP



訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-PDJNR/L-27050-11HP	40	50	27	90	145	0.30	DNMG110408
C5-PDJNR/L-35060-11HP	50	60	35	110	165	0.70	DNMG110408
C4-PDJNR/L-27050-15HP	40	55	27	65	145	0.40	DNMG150608
C5-PDJNR/L-35060-1504HP	50	60	35	70	165	0.73	DNMG150408
C5-PDJNR/L-35060-15HP	50	60	35	65	165	0.70	DNMG150608
C6-PDJNR/L-45065-1504HP	63	65	45	95	195	1.20	DNMG150408
C6-PDJNR/L-45065-15HP	63	65	45	95	195	1.10	DNMG150608
C8-PDJNR/L-55080-1504HP	80	80	55	130	250	4.30	DNMG150408
C8-PDJNR/L-55080-15HP	80	80	55	130	250	4.30	DNMG150608
C10-PDJNR/L-68110-15HP	100	110	68	180	280	5.15	DNMG150608
C6-PDMNR/L-00130-15HP	63	130	0.6	/	/	1.70	DNMG150608




DDMNR/L



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C5-DDMNL-00115-15	50	115	1	1.08	DNMG150608
C6-DDMNL-00130-15	63	130	1	1.69	DNMG150608
C6-DDMNL-00130-1504	63	130	1	1.69	DNMG150408
C8-DDMNL-00160-15	80	160	1	3.36	DNMG150608
C8-DDMNL-00160-1504	80	160	1	3.30	DNMG150608


DDJNR/L

DDHNR/L




訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C3-DDJNR/L-22045-11	32	45	22	60	121	0.22	DNMG110408
C4-DDJNR/L-27050-11	40	50	27	60	140	0.33	DNMG110408
C5-DDJNR/L-35060-11	50	60	35	65	165	0.70	DNMG110408
C6-DDJNR/L-45065-11	63	65	45	81	190	1.10	DNMG110408
C4-DDJNR/L-27050-15	40	55	27	110	145	0.46	DNMG150608
C4-DDJNR/L-27050-1504	40	55	27	110	145	0.46	DNMG150408
C5-DDJNR/L-35060-15	50	60	35	110	165	0.70	DNMG150608
C5-DDJNR/L-35060-1504	50	60	35	110	165	0.70	DNMG150408
C6-DDJNR/L-45065-15	63	65	45	110	190	1.10	DNMG150608
C6-DDJNR/L-45065-1504	63	65	45	110	190	1.10	DNMG150408
C8-DDJNR/L-55080-15	80	80	55	110	250	2.40	DNMG150608
C8-DDJNR/L-55080-1504	80	80	55	110	250	2.40	DNMG150408
C4-DDHNR/L-27055-15	40	55	27	110	145	0.45	DNMG150608
C4-DDHNR/L-27055-1504	40	55	27	110	145	0.45	DNMG150408
C5-DDHNR/L-35060-15	50	60	35	110	165	0.70	DNMG150608
C5-DDHNR/L-35060-15	50	60	35	110	165	0.70	DNMG150408
C6-DDHNR/L-45065-15	63	65	45	110	190	1.10	DNMG150608
C6-DDHNR/L-45065-1504	63	65	45	110	190	1.10	DNMG150408
C8-DDHNR/L-55080-15	80	80	55	110	250	2.60	DNMG150608
C8-DDHNR/L-55080-1504	80	80	55	110	250	2.60	DNMG150408

DDNNN




訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C4-DDNNN-00050-11	40	50	0.5	0.33	DNMG110408
C5-DDNNN-00060-11	50	60	0.5	0.63	DNMG110408
C4-DDNNN-00055-15	40	55	0.5	0.33	DNMG150608
C4-DDNNN-00055-1504	40	55	0.5	0.33	DNMG150408
C5-DDNNN-00060-15	50	60	0.5	0.55	DNMG150608
C5-DDNNN-00060-1504	50	60	0.5	0.55	DNMG150408
C6-DDNNN-00065-15	63	65	0.5	1.10	DNMG150608
C6-DDNNN-00065-1504	63	65	0.5	1.10	DNMG150408
C8-DDNNN-00080-15	80	80	0.5	1.70	DNMG150608
C8-DDNNN-00080-1504	80	80	0.5	1.70	DNMG150408

DDUNR/L




訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-DDUNR/L-27050-15	40	50	27	110	140	0.45	DNMG150608
C4-DDUNR/L-27050-1504	40	50	27	110	140	0.45	DNMG150408
C5-DDUNR/L-35060-15	50	60	35	110	165	0.70	DNMG150608
C5-DDUNR/L-35060-1504	50	60	35	110	165	0.70	DNMG150408
C6-DDUNR/L-45065-15	63	65	45	110	190	1.30	DNMG150608
C6-DDUNR/L-45065-1504	63	65	45	110	190	1.30	DNMG150408
C8-DDUNR/L-55080-15	80	80	55	110	250	2.40	DNMG150608
C8-DDUNR/L-55080-1504	80	80	55	110	250	2.40	DNMG150408

PDJNR/L



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-PDJNR/L-22045-11	32	45	22	0.13	DNMG110408
C4-PDJNR/L-27050-11	40	50	27	0.49	DNMG110408
C5-PDJNR/L-35060-11	50	60	35	0.55	DNMG110408
C6-PDJNR/L-45065-11	63	65	45	1.1	DNMG110408
C4-PDJNR/L-27055-15	40	55	27	0.34	DNMG150608
C5-PDJNR/L-35060-15	50	60	35	0.55	DNMG150608
C6-PDJNR/L-45065-15	63	65	45	1.35	DNMG150608

DRSNR/L






訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-DRSNR/L-27050-12	40	50	27	110	140	0.33	RNMG120400
C5-DRSNR/L-35060-12	50	60	35	110	165	0.7	RNMG120400
C6-DRSNR/L-45065-12	63	65	45	110	190	1.1	RNMG120400

PSC一體式外徑刀具 PSC One-Piece Turning Holder

PRSCR/L



PRDCN



訂貨型號 Order Code	D	L	C	M	Kg	刀片型號 Insert Type
C8-PRSCR/L-55080-20	80	80	55	/	2.40	RCMX200600
C6-PRSCR/L-45065-25	63	65	45	/	1.30	RCMX250700
C8-PRSCR/L-55080-25	80	80	55	/	2.40	RCMX250700
C10-PRSCR/L-68110-25	100	110	68	/	4.90	RCMX250700
C8-PRSCR/L-55080-32	80	80	55	/	2.40	RCMX320900
C10-PRSCR/L-68110-32	100	110	68	/	4.90	RCMX320900
C6-PRDCN-00065-25A	63	65	12.5	40	0.90	RCMX250700
C8-PRDCN-00080-25A	80	80	12.5	40	2.40	RCMX250700
C10-PRDCN-00110-25	100	110	12.5	60	4.00	RCMX250700
C8-PRDCN-00080-32A	80	80	16	45	2.40	RCMX320900
C10-PRDCN-00110-32	100	110	16	65	4.10	RCMX320900


PSC一體式外徑刀具 PSC One-Piece Turning Holder

PSSNR/L-HP



訂貨型號 Order Code	D	L	L1	C	C1	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-PSSNR/L-27042-12HP	40	42	50.3	27	18.7	90	145	0.30	SNMG120408
C5-PSSNR/L-35052-12HP	50	52	60.3	35	26.7	110	165	0.70	SNMG120408
C6-PSSNR/L-45056-12HP	63	56	64.3	45	36.7	10	200	1.10	SNMG120408
C8-PSSNR/L-55080-12HP	80	80	88.3	55	46.7	200	260	2.40	SNMG120408
C5-PSSNR/L-35050-15HP	50	50	60.2	35	24.8	110	165	0.70	SNMG150612
C6-PSSNR/L-45054-15HP	63	54	64.2	45	34.8	110	200	1.10	SNMG150612
C6-PSSNR/L-45052-19HP	63	52	64.5	45	32.5	110	180	1.10	SNMG190612
C8-PSSNR/L-55080-19HP	80	80	92.5	55	42.5	200	260	2.55	SNMG190612
C10-PSSNR/L-68092-19HP	100	92	104.5	68	55.5	260	315	4.45	SNMG190612


DSDNN



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-DSDNN-00048-12	32	48	0.3	0.30	SNMG120408
C4-DSDNN-0050-12	40	50	0.3	0.40	SNMG120408
C5-DSDNN-00060-12	50	60	0.3	0.70	SNMG120408
C6-DSDNN-00065-12	63	65	0.3	1.33	SNMG120408
C5-DSDNN-00060-15	50	60	0.5	0.70	SNMG150608
C6-DSDNN-00065-15	63	65	0.5	1.10	SNMG150608
C5-DSDNN-00065-19	50	65	0.5	0.70	SNMG190612
C6-DSDNN-00070-19	63	70	0.5	1.10	SNMG190612
C8-DSDNN-00080-25	80	80	1.0	3.34	SNMG250724


DSRNR/L

DSKNR/L




訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C3-DSRNR/L-19048-12	32	48	19	/	124	0.22	SNMG120408
C4-DSRNR/L-22050-12	40	50	22	/	140	0.42	SNMG120408
C5-DSRNR/L-27060-12	50	60	27	/	165	0.87	SNMG120408
C6-DSRNR/L-35065-12	63	65	35	/	190	1.33	SNMG120408
C5-DSRNR/L-27060-15	50	60	27	/	165	0.71	SNMG150612
C6-DSRNR/L-35065-15	63	65	35	/	190	1.33	SNMG150612
C5-DSRNR/L-27060-19	50	60	27	/	165	0.71	SNMG190612
C6-DSRNR/L-35065-19	63	65	35	/	190	0.33	SNMG190612
C8-DSRNR/L-45080-19	80	80	45	/	250	2.30	SNMG190612
C8-DSRNR/L-45080-25	80	80	45	/	250	2.30	SNMG250724
C3-DSKNR/L-27050-12	32	40	22	60	/	0.24	SNMG120408
C4-DSKNR/L-27050-12	40	50	27	110	/	0.46	SNMG120408
C5-DSKNR/L-35060-12	50	60	35	110	/	0.85	SNMG120408
C6-DSKNR/L-45065-12	63	65	45	110	/	1.32	SNMG120408
C5-DSKNR/L-35060-15	50	60	35	125	/	0.85	SNMG150612
C6-DSKNR/L-45065-15	63	65	45	125	/	1.32	SNMG150612
C5-DSKNR/L-35060-19	50	60	35	125	/	0.72	SNMG190612
C6-DSKNR/L-45065-19	63	65	45	125	/	1.32	SNMG190612
C8-DSKNR/L-55080-19	80	80	55	125	/	2.40	SNMG190612
C8-DSKNR/L-55080-25	80	80	55	150	/	2.40	SNMG250724

DSSNR/L



訂貨型號 Order Code	D	L	L1	C	C1	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C3-DSSNR-22040-12	32	40	48.3	22	13.7	60	124	0.25	SNMG120408
C4-DSSNR/L-27042-12	40	42	50.3	27	18.7	110	140	0.33	SNMG120408
C5-DSSNR/L-35052-12	50	52	60.3	35	26.7	110	165	0.66	SNMG120408
C6-DSSNR/L-45056-12	63	56	64.3	45	36.7	110	190	1.09	SNMG120408
C4-DSSNR/L-27045-15	40	45	55.2	27	16.8	125	145	0.26	SNMG150612
C5-DSSNR/L-35050-15	50	50	60.2	35	24.8	125	165	0.70	SNMG150612
C6-DSSNR/L-45054-15	63	54	64.2	45	34.8	125	190	1.09	SNMG150612
C5-DSSNR/L-35048-19	50	48	60.5	35	22.5	125	165	0.71	SNMG190612
C6-DSSNR/L-45052-19	63	52	64.5	45	32.5	125	190	1.09	SNMG190612
C8-DSSNR/L-55070-25	80	70	86	55	39.0	150	256	2.30	SNMG250724



PSKNR/L



訂貨型號 Order Code	D	L	C	L1	Kg	刀片型號 Insert Type
C4-PSKNR/L-27050-12	40	50	27	53.1	0.51	SNMG120408
C5-PSKNR/L-35060-12	50	60	35	63.1	0.86	SNMG120408
C6-PSKNR/L-45065-12	63	65	45	68.1	1.70	SNMG120408
C4-PSKNR/L-27050-15	40	50	27	54.8	0.33	SNMG150612
C5-PSKNR/L-35060-15	50	60	35	63.8	0.86	SNMG150612
C6-PSKNR/L-45065-15	63	65	45	68.8	1.70	SNMG150612
C5-PSKNR/L-35060-19	50	60	35	64.6	0.86	SNMG190612
C6-PSKNR/L-45065-19	63	65	45	69.6	1.34	SNMG190612
C8-PSKNR/L-55080-19	80	80	55	84.6	3.40	SNMG190612
C8-PSKNR/L-55080-25	80	80	55	86	7.48	SNMG250724
C10-PSKNR/L-68110-25	100	110	68	116	5.50	SNMG250724

PSC一體式外徑刀具
PSC One-Piece Turning Holder



PSRNR/L



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C4-PSRNR/L-22050-12	40	50	22	0.45	SNMG120408
C5-PSRNR/L-27060-12	50	60	27	0.87	SNMG120408
C6-PSRNR/L-35065-12	63	65	35	1.34	SNMG120408
C4-PSRNR/L-22050-15	40	50	22	0.42	SNMG150612
C5-PSRNR/L-27060-15	50	60	27	0.86	SNMG150612
C6-PSRNR/L-35065-15	63	65	35	1.34	SNMG150612
C5-PSRNR/L-27060-19	50	60	27	0.86	SNMG190612
C6-PSRNR/L-35065-19	63	65	35	1.34	SNMG190612
C8-PSRNR/L-45080-19	80	80	45	3.40	SNMG190612
C8-PSRNR/L-45080-25	80	80	45	3.40	SNMG250724
C10-PSRNR/L-58110-25	100	110	58	5.13	SNMG250724


PSC一體式外徑刀具
PSC One-Piece Turning Holder

PSSNR/L



訂貨型號 Order Code	D	L	L1	C	C1	Kg	刀片型號 Insert Type
C3-PSSNR-22032-12	32	32	40.3	22	13.7	0.21	SNMG120408
C4-PSSNR/L-27042-12	40	42	50.3	27	18.7	0.33	SNMG120408
C5-PSSNR/L-35052-12	50	52	60.3	35	26.7	0.70	SNMG120408
C6-PSSNR/L-45065-12	63	56	64.3	45	36.7	1.10	SNMG120408
C4-PSSNR/L-27040-15	40	40	50.2	27	16.8	0.33	SNMG150612
C5-PSSNR/L-35050-15	50	50	60.2	35	24.8	0.55	SNMG150612
C6-PSSNR/L-45054-15	63	54	64.2	45	34.8	1.10	SNMG150612
C5-PSSNR/L-35048-19	50	48	60.5	35	22.5	0.55	SNMG190612
C6-PSSNR/L-45052-19	63	52	64.5	45	32.5	1.10	SNMG190612
C10-PSSNR/L-68092-25	100	92	108	68	52	4.58	SNMG250724


PSDNN



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C4-PSDNN-00050-12	40	50	0.3	0.33	SNMG120408
C5-PSDNN-00060-12	50	60	0.3	0.71	SNMG120408
C6-PSDNN-00065-12	63	65	0.3	1.35	SNMG120408
C4-PSDNN-00050-15	40	50	0.5	0.33	SNMG150612
C5-PSDNN-00060-15	50	60	0.5	0.71	SNMG150612
C6-PSDNN-00065-15	63	65	0.5	1.10	SNMG150612
C5-PSDNN-00060-19	50	60	0.5	0.71	SNMG190612
C6-PSDNN-00065-19	63	65	0.5	1.10	SNMG190612
C6-PSDNN-00065-25	63	65	1	1.10	SNMG250724
C8-PSDNN-00080-25	80	80	1	2.40	SNMG250724
C10-PSDNN-00110-25	100	110	1	4.84	SNMG250724

DTGNR/L


DTJNR/L



訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-DTGNR/L-27050-16	40	50	27	110	140	0.55	TNMG160408
C5-DTGNR/L-35060-16	50	60	35	110	165	0.70	TNMG160408
C6-DTGNR/L-45065-16	63	65	45	110	190	1.30	TNMG160408
C4-DTGNR/L-27050-22	40	50	27	110	140	0.47	TNMG220408
C5-DTGNR/L-35060-22	50	60	35	110	165	0.84	TNMG220408
C6-DTGNR/L-45065-22	63	65	45	110	190	1.30	TNMG220408
C3-DTJNR/L-22040-16	32	40	22	60	116	0.22	TNMG160408
C4-DTJNR/L-27050-16	40	50	27	110	140	0.55	TNMG160408
C5-DTJNR/L-35060-16	50	60	35	110	165	0.70	TNMG160408
C6-DTJNR/L-45065-16	63	65	45	110	190	1.31	TNMG160408
C4-DTJNR/L-27050-22	40	50	27	110	140	0.55	TNMG220408
C5-DTJNR/L-35060-22	50	60	35	110	165	0.84	TNMG220408
C6-DTJNR/L-45065-22	63	65	45	110	190	1.31	TNMG220408
C6-DTJNR/L-45065-27	63	65	45	110	190	1.31	TNMG270612


DTTNR/L

DTFNR/L



訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-DTTNR/L-22050-16	40	50	22	/	140	0.34	TNMG160408
C5-DTTNR/L-27060-16	50	60	27	/	165	0.70	TNMG160408
C5-DTTNR/L-27060-22	50	60	27	/	165	0.70	TNMG220408
C6-DTTNR/L-35065-22	63	65	35	/	190	1.10	TNMG220408
C3-DTFNR/L-22040-16	32	40	22	60	116	0.22	TNMG160408
C4-DTFNR/L-27050-16	40	50	27	110	140	0.42	TNMG160408
C5-DTFNR/L-35060-16	50	60	35	110	165	0.70	TNMG160408
C6-DTFNR/L-45065-16	63	65	45	110	190	1.30	TNMG160408
C4-DTFNR/L-27050-22	40	50	27	110	140	0.55	TNMG220408
C5-DTFNR/L-35060-22	50	60	35	110	165	0.84	TNMG220408
C6-DTFNR/L-45065-22	63	65	45	110	190	1.30	TNMG220408

MTJNR/L




訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-MTJNR/L-22040-16	32	40	22	0.22	TNMG160408
C4-MTJNR/L-27050-16	40	50	27	0.42	TNMG160408
C5-MTJNR/L-35060-16	50	60	35	0.85	TNMG160408
C4-MTJNR/L-27050-22	40	50	27	0.42	TNMG220408
C5-MTJNR/L-35060-22	50	60	35	0.89	TNMG220408
C6-MTJNR/L-45065-22	63	65	45	1.30	TNMG220408
C6-MTJNR/L-45065-27	63	65	45	1.30	TNMG270612

PSC一體式外徑刀具
PSC One-Piece Turning Holder

DVJNR/L


DVVNN



訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C4-DVJNR/L-27062-16	40	62	27	60	152	0.50	VNMG160408
C5-DVJNR/L-35065-16	50	65	35	65	170	0.70	VNMG160408
C6-DVJNR/L-45065-16	63	65	45	81	190	1.30	VNMG160408
C8-DVJNR/L-55080-16	80	80	55	100	250	2.31	VNMG160408
C4-DVVNN-00062-16	40	62	0.6	/	152	0.34	VNMG160408
C5-DVVNN-00065-16	50	65	0.6	/	170	0.46	VNMG160408
C6-DVVNN-00065-16	63	65	0.6	/	190	0.90	VNMG160408
C8-DVVNN-00080-16	80	80	0.6	/	250	1.00	VNMG160408



PSC一體式外徑刀具
PSC One-Piece Turning Holder

MVJNR/L





訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-MVJNR/L-22045-16	32	45	22	0.22	VNMG160408
C4-MVJNR/L-27050-16	40	50	27	0.66	VNMG160408
C5-MVJNR/L-35060-16	50	60	35	0.85	VNMG160408

DWLNR/L



訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C3-DWLNR/L-22040-06	32	40	22	60	116	0.21	WNMG060408
C4-DWLNR/L-27050-06	40	50	27	60	140	0.42	WNMG060408
C5-DWLNR/L-35060-06	50	60	35	65	165	0.70	WNMG060408
C6-DWLNR/L-45065-06	63	65	45	81	190	1.30	WNMG060408
C4-DWLNR/L-27050-08	40	50	27	110	140	0.42	WNMG080408
C5-DWLNR/L-35060-08	50	60	35	110	165	0.70	WNMG080408
C6-DWLNR/L-45065-08	63	65	45	110	190	1.30	WNMG080408
C8-DWLNR/L-55080-08	80	80	55	110	250	2.30	WNMG080408


MWLNR/L



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-MWLNR/L-22040-06	32	40	22	0.22	WNMG060408
C4-MWLNR/L-27050-06	40	50	27	0.42	WNMG060408
C4-MWLNR/L-27050-08	40	50	27	0.31	WNMG080408
C5-MWLNR/L-35060-08	50	60	35	0.85	WNMG080408

PSC一體式外徑刀具
PSC One-Piece Turning Holder


SCLCR/L-HPA



訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C3-SCLCR/L-22040-09HPA	32	40	22	130	116	0.19	CCMT09T308
C4-SCLCR/L-27050-09HPA	40	50	27	130	140	0.38	CCMT09T308
C4-SCLCR/L-27050-12HPA	40	50	27	130	140	0.38	CCMT120408
C6-SCLCR/L-45065-12HPA	63	65	45	125	190	1.21	CCMT120408


PSC一體式外徑刀具
PSC One-Piece Turning Holder

SCLCR/L




訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-SCLCR/L-22040-09	32	40	22	0.13	CCMT09T308
C4-SCLCR/L-27050-09	40	50	27	0.34	CCMT09T308
C5-SCLCR/L-35060-09	50	60	35	0.64	CCMT09T308
C6-SCLCR/L-45065-09	63	65	45	1.10	CCMT09T308
C3-SCLCR/L-22040-12	32	40	22	0.13	CCMT120408
C4-SCLCR/L-27050-12	40	50	27	0.34	CCMT120408
C5-SCLCR/L-35060-12	50	60	35	0.64	CCMT120408
C6-SCLCR/L-45065-12	63	65	45	1.10	CCMT120408
C10-SCLCR/L-68110-38	100	110	68	4.95	CCMT380932

SCMCN



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-SCMCN-00090-12	63	90	0	1.3	CCMT120408


SDJCR/L-HPA



訂貨型號 Order Code	D	L	C	DMIN2	Kg	刀片型號 Insert Type
C3-SDJCR/L-22040-11HPA	32	40	22	116	0.19	DCMT11T308
C4-SDJCR/L-27050-11HPA	40	50	27	140	0.38	DCMT11T308
C5-SDJCR/L-35060-11HPA	50	60	35	165	0.7	DCMT11T308
C6-SDJCR/L-45065-11HPA	63	65	45	190	1.21	DCMT11T308


SDNCN

SDJCR/L



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-SDNCN-00040-11	32	40	0.5	0.13	DCMT11T308
C4-SDNCN-00050-11	40	50	0.5	0.45	DCMT11T308
C5-SDNCN-00060-11	50	60	0.5	0.58	DCMT11T308
C3-SDJCR-22040-07	32	40	22	0.13	DCMT070204
C4-SDJCR-27050-07	40	50	27	0.34	DCMT070204
C3-SDJCR/L-22040-11	32	40	22	0.13	DCMT11T308
C4-SDJCR/L-27050-11	40	50	27	0.34	DCMT11T308
C5-SDJCR/L-35060-11	50	60	35	0.62	DCMT11T308
C6-SDJCR/L-45065-11	63	65	45	1.1	DCMT11T308

SRSCR/L-HP




訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C5-SRSCR/L-35060-10HP	50	60	35	130	270	0.7	RCMT10T3M0
C6-SRSCR/L-45065-10HP	63	65	45	140	300	1.21	RCMT10T3M0
C5-SRSCR/L-35060-12HP	50	60	35	130	270	0.7	RCMT1204M0
C6-SRSCR/L-45065-12HP	63	65	45	120	195	1.1	RCMT1204M0

SRDCN-HPA




訂貨型號 Order Code	D	L	C	DMIN2	Kg	刀片型號 Insert Type
C5-SRDCN-00060-10AHPA	50	60	5	165	0.7	RCMT10T3M0
C4-SRDCN-00050-12AHPA	40	50	6	140	0.38	RCMT1204M0
C5-SRDCN-00060-12AHPA	50	60	6	165	0.7	RCMT1204M0
C6-SRDCN-00065-12AHPA	63	65	6	/	1.21	RCMT1204M0
C6-SRDCN-00065-16AHPA	63	65	8	/	1.21	RCMT1606M0

SRSCR/L-HPA




訂貨型號 Order Code	D	L	C	DMIN1	DMIN2	Kg	刀片型號 Insert Type
C5-SRSCR/L-35060-12HPA	50	60	35	150	165	0.7	RCMT1204M0
C6-SRSCR/L-45065-12HPA	63	65	45	150	190	1.21	RCMT1204M0
C5-SRSCR/L-35060-16HPA	50	60	35	175	165	0.7	RCMT1606M0
C6-SRSCR/L-45065-16HPA	63	65	45	175	190	1.21	RCMT1606M0

SRDCN




訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C6-SRDCN-00100-10	63	100	5	1.35	RCMT10T3M0
C6-SRDCN-00100-16	63	100	8	1.35	RCMT1606M0

SRDCN-A



訂貨型號 Order Code	D	L	C	M	Kg	刀片型號 Insert Type
C4-SRDCN-00050-06A	40	50	3	12	0.34	RCMT0602M0
C5-SRDCN-00060-06A	50	60	3	12	0.7	RCMT0602M0
C4-SRDCN-00050-08A	40	50	4	16	0.28	RCMT0803M0
C5-SRDCN-00060-08A	50	60	4	16	0.68	RCMT0803M0
C4-SRDCN-00050-10A	40	50	5	25	0.33	RCMT10T3M0
C5-SRDCN-00060-10A	50	60	5	25	0.61	RCMT10T3M0
C6-SRDCN-00065-10A	63	65	5	25	1.1	RCMT10T3M0
C4-SRDCN-00050-12A	40	50	6	28	0.33	RCMT1204M0
C5-SRDCN-00060-12A	50	60	6	28	0.62	RCMT1204M0
C6-SRDCN-00065-12A	63	65	6	28	1.1	RCMT1204M0
C5-SRDCN-00060-16A	50	60	8	35	0.58	RCMT1606M0
C6-SRDCN-00065-16A	63	65	8	35	0.9	RCMT1606M0
C5-SRDCN-00060-20A	50	60	10	35	0.62	RCMT2006M0
C6-SRDCN-00065-20A	63	65	10	40	0.9	RCMT2006M0



SRSCR/L



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C4-SCLCR/L-27050-06	40	50	27	0.33	RCMT0602M0
C5-SRSCR/L-35060-06	50	60	35	0.7	RCMT0602M0
C4-SRSCR/L-27050-08	40	50	27	0.33	RCMT0803M0
C5-SCLCR/L-35060-08	50	60	35	0.7	RCMT0803M0
C3-SCLCR/L-22040-10	32	40	22	0.22	RCMT10T3M0
C4-SRSCR/L-27050-10	40	50	27	0.33	RCMT10T3M0
C5-SRSCR/L-35060-10	50	60	35	0.7	RCMT10T3M0
C6-SRSCR/L-45065-10	63	65	45	1.1	RCMT10T3M0
C4-SRSCR/L-27050-12	50	50	27	0.4	RCMT1204M0
C5-SRSCR/L-35060-12	50	60	35	0.7	RCMT1204M0
C6-SRSCR/L-45065-12	63	65	45	1.1	RCMT1204M0
C5-SRSCR/L-35060-16	50	60	35	0.7	RCMT1606M0
C6-SRSCR/L-45065-16	63	65	45	1.1	RCMT1606M0
C5-SRSCR/L-35060-20	50	60	35	0.86	RCMT2006M0
C6-SRSCR/L-45065-20	63	65	45	1.35	RCMT2006M0

STJCR/L

STGCR/L




訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C4-STJCR/L-27050-11-B1	40	50	27	0.34	TCMT110304
C4-STGCR/L-27050-16	40	50	27	0.34	TCMT16T308
C4-STJCR/L-27050-16	40	50	27	0.34	TCMT16T308
C5-STGCR/L-35060-16	50	60	35	0.64	TCMT16T308
C5-STJCR/L-35060-16	50	60	35	0.64	TCMT16T308
C6-STGCR/L-45065-16	63	65	45	1.1	TCMT16T308

PSC一體式外徑刀具
PSC One-Piece Turning Holder

SVJBR/L-HP


SVUBR/L-HP



訂貨型號 Order Code	D	L	C	DMIN2	Kg	刀片型號 Insert Type
C4-SVJBR/L-27050-16HP	40	50	27	140	0.30	VBMT160408
C5-SVJBR/L-35060-16HP	50	60	35	200	0.70	VBMT160408
C6-SVJBR/L-45065-16HP	63	65	45	200	1.30	VBMT160408
C8-SVJBR/L-55080-16HP	80	80	55	240	2.30	VBMT160408
C6-SVUBR/L-45065-16HP	63	65	45	85	1.30	VBMT160408
C8-SVUBR/L-55080-16HP	80	80	55	100	2.70	VBMT160408

PSC一體式外徑刀具
PSC One-Piece Turning Holder


SVHBR/L-HPA



訂貨型號 Order Code	D	L	C	DMIN2	Kg	刀片型號 Insert Type
C4-SVHBR/L-27050-16HPA	40	50	27	140	0.38	VBMT160408
C5-SVHBR/L-35060-16HPA	50	60	35	165	0.7	VBMT160408
C6-SVHBR/L-45065-16HPA	63	65	45	190	1.21	VBMT160408

PSC一體式外徑刀具 PSC One-Piece Turning Holder

SVJBR/L-HPAB




訂貨型號 Order Code	D	L	C	DMIN2	Kg	刀片型號 Insert Type
C3-SVJBR/L-22040-11HPAB1	32	40	22	116	0.19	VBMT110304
C4-SVJBR/L-27050-11HPAB1	40	50	27	140	0.38	VBMT110304
C4-SVJBR/L-27050-16HPA	40	50	27	140	0.38	VBMT160408
C5-SVJBR/L-35060-16HPA	50	60	35	165	0.7	VBMT160408
C6-SVJBR/L-45065-16HPA	63	65	45	190	1.21	VBMT160408

PSC一體式外徑刀具 PSC One-Piece Turning Holder


SVHBR/L

SVJBR/L




訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-SVHBR/L-22040-11	32	40	22	0.13	VBMT110204
C3-SVHBR/L-22040-11-B1	32	40	22	0.13	VBMT110204
C4-SVHBR/L-27050-11	40	50	27	0.49	VBMT110204
C4-SVHBR/L-27050-11-B1	40	50	27	0.45	VBMT110204
C5-SVHBR/L-35060-11	50	60	35	0.71	VBMT110204
C4-SVHBR/L-27050-16	40	50	27	0.45	VBMT160408
C5-SVHBR/L-35060-16	50	60	35	0.58	VBMT160408
C6-SVHBR/L-45065-16	63	65	45	0.9	VBMT160408
C3-SVJBR/L-22040-11	32	40	22	0.13	VBMT110204
C3-SVJBR/L-22040-11-B1	32	40	22	0.13	VBMT110204
C4-SVJBR/L-27050-11	40	50	27	0.48	VBMT110204
C4-SVJBR/L-27050-11-B1	40	50	27	0.45	VBMT110204
C5-SVJBR/L-35060-11	50	60	35	0.71	VBMT110204
C4-SVJBR/L-27050-16	40	50	27	0.3	VBMT160408
C5-SVJBR/L-35060-16	50	60	35	0.58	VBMT160408
C6-SVJBR/L-45065-16	63	65	45	0.89	VBMT160408

SVVBN



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-SVVBN-00040-11	32	40	0.3	0.13	VBMT110204
C3-SVVBN-00040-11-B1	32	40	0.3	0.13	VBMT110304
C4-SVVBN-00050-11	40	50	0.3	0.28	VBMT110204
C4-SVVBN-00050-11-B1	40	50	0.3	0.28	VBMT110304
C4-SVVBN-00050-16	40	50	0.6	0.28	VBMT160408
C5-SVVBN-00060-16	50	60	0.6	0.52	VBMT160408
C6-SVVBN-00065-16	63	65	0.6	0.89	VBMT160408


SVMBL



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C5-SVMBL-00115-16	50	115	1.2	0.87	VBMT160408
C6-SVMBL-00130-16	63	130	1.2	1.69	VBMT160408
C5-SVMBL-33120-16	63	120	33	1.69	VBMT160408

PSC一體式外徑刀具
PSC One-Piece Turning Holder


SVSBR/L-HPA



訂貨型號 Order Code	D	L	C	DMIN2	Kg	刀片型號 Insert Type
C4-SVSBR/L-27050-16HPA	40	50	27	140	0.38	VBMT160408
C5-SVSBR/L-35060-16HPA	50	60	35	165	0.7	VBMT160408
C6-SVSBR/L-45065-16HPA	63	65	45	190	1.21	VBMT160408

PSC一體式外徑刀具
PSC One-Piece Turning Holder


R/LFA-E



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-R/LFA203015-22050E	32	50	22	0.3	A2030N00CM02
C3-R/LFA205015-22050E	32	50	22	0.3	A2050N00CM03
C4-R/LFA203015-27055E	40	50	27	0.4	A2030N00CM02
C4-R/LFA205015-27055E	40	50	27	0.4	A2050N00CM03
C5-R/LFA203015-35055E	50	55	35	0.6	A2030N00CM02
C5-R/LFA205015-35055E	50	55	35	0.6	A2050N00CM03
C6-R/LFA203015-45065E	63	65	45	1.2	A2030N00CM02
C6-R/LFA205015-45065E	63	65	45	1.2	A2050N00CM03
C8-R/LFA205015-42080E	80	80	42	2.1	A2050N00CM03

PSC一體式外徑刀具 PSC One-Piece Turning Holder


SER/L



訂貨型號 Order Code	D	L	C	Kg	刀片型號 Insert Type
C3-SER/L-22040-16	32	40	22	0.3	16ER ISO
C4-SER/L-27050-16	40	50	27	0.5	16ER ISO
C5-SER/L-35060-16	50	60	35	0.5	16ER ISO
C6-SER/L-45065-16	63	65	45	0.5	16ER ISO
C8-SER/L-55080-16	80	80	55	0.9	16ER ISO

PSC車銑刀座系列 PSC HOLDERS FOR TURNING MILLS SERIES

適用ISO26623-1 PSC系統
DESIGNED FOR ISO26623-1 PSC SYSTEM




PSC軸向雙面外徑刀座 PSC DOUBLE SIDE TURNING HOLDER




訂貨型號 Order Code	L	L1	H	H1	H2	h	重量 (Kg) Weight
C5-ETA2020-90	90	60	20	25	42.5	30	2
C5-ETA1" x 1"-4"	4"	2.5"	1"	1.25"	2"	1.5"	2
C6-ETA2525-105	105	72	25	27	52.5	38	3.5
C6-ETA1" x 1"-4"	4"	2.5"	1"	1.25"	2"	1.5"	3.5

PSC 45度外徑刀座 PSC 45 DEGREE TURNING HOLDER



訂貨型號 Order Code	L	L1	H	H1	H2	R	C	重量 (Kg) Weight
C5-ETN2020R-100	100	66	20	25	36	36	45°	1.9
C5-ETN1" x 1"R-4.5"	4.5"	2.75"	1"	1.25"	1.75"	1.75"	45°	1.9
C6-ETN2525R-100	100	80	25	31.5	45	45	45°	2.7
C6-ETN1" x 1"R-4.5"	4.5"	2.75"	1"	1.25"	1.75"	1.75"	45°	2.7



⚠ 注意CAUTION


為了得到加工時的最佳效果，請將車刀杆割短至所用刀座的L1尺寸。
Please trim the square shank holder to L1 dimension for maximum efficiency.

PSC徑向外徑刀座 PSC RADIAL TURNING HOLDER




訂貨型號 Order Code	L	L1	H	H1	H2	h	重量 (Kg) Weight
C5-ETH2525-80	80	57	20	32	40	35	2.6
C5-ETH1" x 1"-3.5"	3.5"	2.5"	1"	1.25"	2"	1.5"	2.6
C6-ETH2525-90	90	63	25	32	49.5	40	3.4
C6-ETH1" x 1"-3.5"	3.5"	2.5"	1"	1.25"	2"	1.5"	3.4

PSC軸向外徑刀座 PSC AXIAL TURNING HOLDER




訂貨型號 Order Code	L	L1	H	H1	H2	h1	h2	重量 (Kg) Weight
C5-ETV2525R-100	100	75	20	41	32	30	30	2.6
C5-ETV1" x 1"R-5"	5"	2.5"	1"	2"	1.25"	1.25"	1.5"	2.6
C6-ETV2525R-125	125	92	25	48	32	35	38	3.6
C6-ETV1" x 1"R-5"	5"	2.5"	1"	2"	1.25"	1.25"	1.5"	3.6



⚠ 注意CAUTION


為了得到加工時的最佳效果，請將車刀杆割短至所用刀座的L1尺寸。
Please trim the square shank holder to L1 dimension for maximum efficiency.

PSC軸向三面外徑刀座 PSC TURNING HOLDER WITH TRIPLE ADAPTER



訂貨型號 Order Code	L	L1	H	R	適用刀杆 Square Shank dimension	刀杆鎖緊螺絲 Lock Screw	重量 (Kg) Weight
C5-ETS2020R-100	100	70	20	40	20 × 20	M12-25	2.2
C5-ETS1" × 1"R-4.75"	4.75"	3"	1"	40	1" × 1"	M12-25	2.2
C6-ETS2525R-120	120	90	25	45	25 × 25	M12-25	3.0
C6-ETS1" × 1"R-4.75"	4.75"	3"	1"	45	1" × 1"	M12-25	3.0

PSC內孔刀座 PSC BORING BAR HOLDER



訂貨型號 Order Code	ØD1	ØD2	L1	L2	M	重量 (Kg) Weight
C5-WH-B08-65	40	8	65	40	M8	1.0
C5-WH-B10-70	43	10	70	43	M8	1.1
C5-WH-B12-70	45	12	70	43	M8	1.2
C5-WH-B16-75	49	16	75	50	M10	1.3
C5-WH-B20-75	55	20	75	50	M10	1.5
C5-WH-B25-83	62	25	83	58	M12	1.8
C5-WH-B32-87	70	32	87	62	M12	2.1
C5-WH-B40-97	78	40	97	72	M16	2.6
C6-WH-B08-65	40	8	65	40	M8	1.2
C6-WH-B10-70	43	10	70	43	M8	1.3
C6-WH-B12-70	45	12	70	43	M8	1.4
C6-WH-B16-75	49	16	75	50	M10	1.5
C6-WH-B20-75	55	20	75	50	M10	1.6
C6-WH-B25-83	62	25	83	58	M12	2.0
C6-WH-B32-87	70	32	87	62	M12	2.3
C6-WH-B40-97	78	40	97	72	M16	2.8


PSC模組化內孔車刀座 PSC BORING BAR HOLDER WITH INTERCHANGEABLE HEAD



訂貨型號 Order Code	刀頭型號 Head Type	L	ØD	刀頭鎖緊螺絲 Lock Screw For The Head	出水銷 Nozzle	重量 (Kg) Weight
C5-D1CDB-86	D1	86	16	M3-15	D1-DWX	0.8
C5-D2CDB-100	D2	100	20	M3-15	D2-DWX	0.9
C5-D3CDB-100	D3	100	25	M4-20	D3-DWX	1.0
C5-D4CDB-100	D4	100	34	M5-20	D4-DWX	1.2
C6-D1CDB-86	D1	86	16	M3-15	D1-DWX	0.8
C6-D2CDB-100	D2	100	20	M3-15	D2-DWX	0.9
C6-D3CDB-100	D3	100	25	M4-20	D3-DWX	1.0
C6-D4CDB-100	D4	100	34	M5-20	D4-DWX	1.2
C6-D4CDB-150	D4	150	34	M5-20	D4-DWX	1.7


▲採用模組化設計，如果刀頭損壞而刀柄無損壞，則可更換一個新的刀頭就可繼續使用。而以往整體式結構一但刀頭損壞則整支刀具都無法繼續再使用。模組化的設計可通過更換不同類型的刀頭即可實現粗車、精車、切槽、車螺紋等不同的車削要求，方便實用，降低生產成本。中心給水設計可直接對刀尖部分進行有效的冷卻，降低車削時的熱量，減少刀片磨耗，從而大大提高刀片的使用壽命。

Adopt modular design, integral tool holder in the past, if the cutting head is broken, the whole tool will be useless. Modular system tool, if cutting head is broken and the tool holder is not, replace a new cutting head and the tool holder can be used continuously. The tool holder can assemble different cutting heads to reduce the cost.



1	2	3	4	5
本體 Main Body	模組化車刀頭 Interchangeable Head	刀頭鎖緊螺絲 Lock Screw For The Head	O型圈 O-Ring	出水銷 Nozzle

PSC模組化四工位車刀座
PSC TURNING HOLDER WITH QUAD-INTERCHANGEABLE HEAD




訂貨型號 Order Code	L	ØD	ØD1	Ød	堵水螺絲 Coolant Plug	刀頭鎖緊螺絲 Lock Screw For The Head	出水銷 Nozzle	O型圈 O-Ring	重量 (Kg) Weight
C5-4MZCDB-D4-D100-120	120	90	100	34	M5-5	M5-20	D4-CSX	D9-1.5	2.7
C5-4MZCDB-D4-D125-120	120	120	125	34	M5-5	M5-20	D4-CSX	D9-1.5	3.2
C6-4MZCDB-D4-D100-120	120	90	100	34	M5-5	M5-20	D4-CSX	D9-1.5	3.1
C6-4MZCDB-D4-D125-120	120	120	125	34	M5-5	M5-20	D4-CSX	D9-1.5	3.7


▲模組化四工位車刀座，在一把刀柄本體上安裝有四個不同用途的模組化車刀頭，滿足粗車、精車、切槽、車螺紋等不同的車削要求，當一個工位完成後，祇需將刀具主軸旋轉90度的倍數就能用不同的刀具對不同的工序進行加工，減少了多次換刀的時間，縮短了零件加工的時間。每個工位上可以隨意更換不同用途的刀頭，不需要換刀柄，減少了備刀時間，能有效降低生產成本。而且同時裝配四個車刀頭等於實現了四把刀柄的功能，解決了機床刀庫容量限制的問題。

Adopt modular design, one tool holder can assemble four different cutting heads. One tool has four use. Reduce tool change time. Add the tool magazine capacity. Reduce cost and improve efficiency.


1	2	3	4	5	6
本體 Main Body	模組化車刀頭 Interchangeable Head	刀頭鎖緊螺絲 Lock Screw For The Head	O型圈 O-Ring	出水銷 Nozzle	堵水螺絲 Coolant Plug



PSC模組化三工位車刀座
PSC TURNING HOLDER WITH QUAD-INTERCHANGEABLE HEAD




訂貨型號 Order Code	L	ØD	ØD1	Ød	堵水螺絲 Coolant Plug	刀頭鎖緊螺絲 Lock Screw For The Head	出水銷 Nozzle	O型圈 O-Ring	重量 (Kg) Weight
C5-3MZCDB-D4-D100-120	120	90	100	34	M5-5	M5-20	D4-CSX	D9-1.5	2.2
C5-3MZCDB-D4-D125-120	120	112	125	34	M5-5	M5-20	D4-CSX	D9-1.5	2.8
C6-3MZCDB-D4-D100-120	120	90	100	34	M5-5	M5-20	D4-CSX	D9-1.5	2.6
C6-3MZCDB-D4-D125-120	120	112	125	34	M5-5	M5-20	D4-CSX	D9-1.5	3.2



1	2	3	4	5	6
本體 Main Body	模組化車刀頭 Interchangeable Head	刀頭鎖緊螺絲 Lock Screw For The Head	O型圈 O-Ring	出水銷 Nozzle	堵水螺絲 Coolant Plug


模組化車刀頭-D型
INTERCHANGABLE HEAD-D TYPE

■ SER



訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	墊片 Shim	刀片鎖緊螺絲 Insert Lock Screw	扳手 Wrench	側螺絲 Side Screw
D4-SER-M16T-30-17W	16ER□□□□	30	34	17.5	AE16	CSTB-3.5	T15	M3X5

■ PCLNR



訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	墊片 Shim	C型環 Cshaped washer	扳手 Wrench	鎖緊螺絲 Lock Screw	L型勾 Lever
D4-PCLNR-K12-40-30.5	CN□□1204	31	34	22.5	40	171.31-850M	174.3-861	L3	174.3-821	174.3-841M


■ A3SCR



訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	扳手 Wrench	鎖緊螺絲 Lock Screw
D4-A3SCR-K03-17-40W	KENAMETAL 3.90030SNGB	43	34	17.5	L3	M4-15

模組化車刀頭-D型
INTERCHANGABLE HEAD-D TYPE

■ SDQCR




訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	扳手 Wrench	鎖緊螺絲 Lock Screw
D1-SDQCR07-10.5-20	DC□□0702	20	16	10.5	18.5	T8	CSTB-2.5
D2-SDQCR11-13-20	DC□□11T3	20	20	13	23.5	T15	CSTB-4.0
D3-SDQCR11-16.5-26.5		26.5	25	16.5	30		
D4-SDQCR11-20.5-30		30	34	20.5	38		

■ SDWCR




訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	扳手 Wrench	鎖緊螺絲 Lock Screw
D1-SDWCR07-14-20	DC□□0702	20	16	14	22	T8	CSTB-2.5
D2-SDWCR07-15-22		22	20	15	26		
D3-SDWCR11-19-30	DC□□11T3	30	25	19	32	T15	CSTB-4.0
D4-SDWCR11-23.5-30		30	34	23.5	40		

■SDUCR




訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	扳手 Wrench	鎖緊螺絲 Lock Screw
D1-SDUCR07-12.5-20	DC□□0702	20	16	12.5	20	T8	CSTB-2.5
D2-SDUCR11-15-25	DC□□11T3	20	20	15	25	T15	CSTB-4.0
D3-SDUCR11-18.5-29.5		29.5	25	18.5	32		
D4-SDUCR11-22.5-30		30	34	22.5	40		

■SDXCR




訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	扳手 Wrench	鎖緊螺絲 Lock Screw
D1-SDXCR07-12-21	DC□□0702	21	16	12	20	T8	CSTB-2.5
D2-SDXCR11-14-25	DC□□11T3	25	20	14	25	T15	CSTB-4.0
D3-SDXCR11-18-30		30	25	18	32		
D4-SDXCR11-22.5-30		30	34	22.5	40		

■SDZCR



訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	扳手 Wrench	鎖緊螺絲 Lock Screw
D1-SDZCR07-15-20	DC□□0702	25	16	15	23	T8	CSTB-2.5
D2-SDZCR07-15-25		25	20	15	25		
D3-SDZCR11-21-30	DC□□11T3	30	25	21	34	T15	CSTB-4.0
D4-SDZCR11-25.5-30		30	34	22.5	43		


■STFPR



訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	扳手 Wrench	鎖緊螺絲 Lock Screw
D1-STFPR1103-12-20	TP□□1103	20	16	12	20	T8	CSTB-3
D2-STFPR1103-13.5-25		25	20	13.5	25		
D3-STFPR1103-16.5-25		25	25	16.5	30		
D4-STFPR1103-22-30		30	34	22	40		


模組化車刀頭-D型 INTERCHANGABLE HEAD-D TYPE

SCLCR



訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	扳手 Wrench	鎖緊螺絲 Lock Screw
D1-SCLCR09-11.5-20	CC□□09T3	20	16	11.5	20	T15	CSTB-3.5
D2-SCLCR09-14-25		25	20	14	25		
D3-SCLCR09-16.5-30		30	25	16.5	30		
D4-SCLCR12-22-30	CC□□1204	30	34	22	40	T20	CSTB-5

SNR



訂貨型號 Order Code	適用刀片 Insert	L	ØD	C	ØD1 (Min)	墊片 Shim	刀片鎖緊螺絲 Insert Lock Screw	扳手 Wrench	側螺絲 Side Screw
D1-SNR-S11-9.5-20	11IR□□□□	20	16	9.5	20	Al16	CSTB-3	T10	M3X5
D2-SNR-S16-12-27	16IR□□□□	27	20	12	25	Al16	CSTB-3.5	T15	M3X5
D3-SNR-S16-15.5-28	16IR□□□□	28	25	15.5	32	Al16	CSTB-3.5	T15	M3X5
D4-SNR-S16-30-19	16IR□□□□ 16NR□□□□	30	34	17.5	40	Al16	CSTB-3.5	T15	M3X5

PSC模組化外徑車刀座 PSC TURNING HOLDER WITH INTERCHANGEABLE HEAD

雙斜面設計，刀頭可根據不同的使用條件，安裝在任意一個斜面上，只需改變主軸的旋轉方向，右手刀就可以成為左手刀，如圖所示：
Double oblique surface design, the cutting head can be fixed on any surface, according to different using conditions. Simply by changing the rotation direction of the spindle, the right hand can change into left hand.



▲專利模組化設計，斜度設計使鎖緊後刀頭與刀柄緊密貼合，穩定性高，剛性強。刀頭分體設計，當刀頭損壞時，無需整支報廢，更換刀頭即可。有多種刀頭可供選擇，靈活組合。中心出水，出水口採用鋼球設計，調整方便。
▲The modular design is patented. Oblique degree design make the cutting head and the holder contact tightly. It has high stability and rigidity. Sub-body design, if the cutting head is broken, you do not need to change the whole holder, only replace the cutting head. Various cutting heads can be chosen, flexible combination. Internal coolant supply with steel ball design, adjustment easily.



傾斜型-CX
obliquity type-CX

正交型-DX
orthogonal type-DX

訂貨型號 Order Code	刀頭型號 Head Type	L	Ød1	刀頭鎖緊螺絲 Lock Screw For The Head	噴水頭 Nozzle	定位銷 Pin	重量(Kg) Weight
C5-DXCDB-40	DX/CX	40	62	M8-20	12 × 8PST	DX-DWX	1.0
C6-DXCDB-40	DX/CX	40	62	M8-20	12 × 8PST	DX-DWX	1.8
C5-DXCDB-80	DX/CX	80	62	M8-20	12 × 8PST	DX-DWX	1.2
C6-DXCDB-80	DX/CX	80	62	M8-20	12 × 8PST	DX-DWX	2.1

CAPTO外徑車削刀具型號表示
Models designations of CAPTO turning holders

接口尺寸
Interface size

C3=PSC32
C4=PSC40
C5=PSC50
C6=PSC63
C8=PSC80
C8X=PSC80X

刀片的後角
Insert clearance

A	3°
B	5°
C	7°
D	15°
E	20°
F	25°
G	30°
N	0°
P	11°

刀片切削刃長度
Insert edge length

刀片內切圓 Insert inscribed circle	6.35	7.94	9.525	12.00	12.70
80°	06	08	09	—	12
55°	07	—	11	—	15
35°	11	—	16	—	—
—	—	—	—	12	—
—	11	13	16	—	22
—	—	—	09	—	12

刀具軸角度(例1)
Tool axle angle(CASE 1)

DX	正交型 orthogonal type
CX	傾斜型 obliquity type

夾緊機構
Clamp mechanism

A	背面夾緊式 Back clamp system
C	上壓夾緊式 clamp-on system
D	雙夾緊式 Double clamp system
E	偏心銷式 Off-set pin system
M	复合夾緊式 Multi-clamp system
P	銷釘, 杠杆式 Pin lock system
S	螺釘式 Screw-on system
T	椎孔鎖緊式 Taper lock system
W	上楔形式 Wedge-on system

刀片形狀
Insert geometry

C	80°
D	55°
K	55°
R	—
S	—
T	—
V	35°
W	80°
L	—
H	120°
A	85°
B	82°
E	75°
M	86°
O	135°
P	108°

切刃形狀
Cutting edge geometry

A	B	C	D
E	F	G	H
J	K	L	M
N	Q	R	S
T	U	V	W
Y			

切刃方向
Hand

R	—
L	—
N	—

刀具長度 l (mm)
Tool length



A	32	H	100	P	170
B	40	HX	105	PX	175
BX	45	J	110	Q	180
C	50	JX	120	QX	190
CX	55	K	125	R	200
D	60	KX	130	S	250
DX	65	KXX	135	T	300
E	70	L	140	U	350
EX	75	LX	145	V	400
F	80	M	150	W	450
FX	85	MX	155	X	—
G	90	N	160	Y	500
GX	95	NX	165		

例1
CASE 1




C6-PCLNR-F12-DX

C6-PCLNR-GX12-CX

PCLN




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-PCLNR-F12-DX	45	80	C5-DXCDB-40	PCLNR-4540-12-DX	1.5
C6-PCLNR-F12-DX	45	80	C6-DXCDB-40		2.3
C5-PCLNR-JX12-DX	45	120	C5-DXCDB-80		1.7
C6-PCLNR-JX12-DX	45	120	C6-DXCDB-80		2.6
C5-PCLNR-GX12-CX	3	95	C5-DXCDB-40	PCLNR-0355-12-CX	1.5
C6-PCLNR-GX12-CX	3	95	C6-DXCDB-40		2.3
C5-PCLNR-KXX12-CX	3	135	C5-DXCDB-80		1.7
C6-PCLNR-KXX12-CX	3	135	C6-DXCDB-80		2.5




訂貨型號 Order Code	C	L	L型勾 Lever	鎖緊螺絲 Lock Screw	墊片 Shim	C型環 Cshaped washer	扳手 Wrench
PCLNR-4540-12-DX	45	40	174.3-841M	174.3-821	171.31-850M	174.3-861	L3
PCLNR-0355-12-CX	3	55					

PDJN

DN□□1504□□




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-PDJNR-FX15-DX	45	85	C5-DXCDB-40	PDJNR-4545-15-DX	1.4
C6-PDJNR-FX15-DX	45	85	C6-DXCDB-40		2.2
C5-PDJNR-K15-DX	45	125	C5-DXCDB-80		1.6
C6-PDJNR-K15-DX	45	125	C6-DXCDB-80		2.5
C5-PDJNR-GX15-CX	8	95	C5-DXCDB-40	PDJNR-0855-15-CX	1.4
C6-PDJNR-GX15-CX	8	95	C6-DXCDB-40		2.2
C5-PDJNR-KXX15-CX	8	135	C5-DXCDB-80		1.6
C6-PDJNR-KXX15-CX	8	135	C6-DXCDB-80		2.5




訂貨型號 Order Code	C	L	L型勾 Lever	鎖緊螺絲 Lock Screw	墊片 Shim	C型環 Cshaped washer	扳手 Wrench
PDJNR-4545-15-DX	45	45	174.3-847	174.3-821	171.35-851	174.3-861	L3
PDJNR-0855-15-CX	8	55					

PDQN

DN□□1504□□




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-PDQNR-F15-DX	45	80	C5-DXCDB-40	PDQNR-4540-15-DX	1.4
C6-PDQNR-F15-DX	45	80	C6-DXCDB-40		2.2
C5-PDQNR-JX15-DX	45	120	C5-DXCDB-80		1.6
C6-PDQNR-JX15-DX	45	120	C6-DXCDB-80		2.5
C5-PDQNR-GX15-CX	2	95	C5-DXCDB-40	PDQNR-0255-15-CX	1.4
C6-PDQNR-GX15-CX	2	95	C6-DXCDB-40		2.2
C5-PDQNR-KXX15-CX	2	135	C5-DXCDB-80		1.6
C6-PDQNR-KXX15-CX	2	135	C6-DXCDB-80		2.5




訂貨型號 Order Code	C	L	L型勾 Lever	鎖緊螺絲 Lock Screw	墊片 Shim	C型環 Cshaped washer	扳手 Wrench
PDQNR-4540-15-DX	45	40	174.3-847	174.3-821	171.35-851	174.3-861	L3
PDQNR-0255-15-CX	2	55					

■ PDNN

DN□□1504□□




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-PDNNR-G15-DX	30	90	C5-DXCDB-40	PDNNR-3050-15-DX	1.5
C6-PDNNR-G15-DX	30	90	C6-DXCDB-40		2.3
C5-PDNNR-KX15-DX	30	130	C5-DXCDB-80		1.8
C6-PDNNR-KX15-DX	30	130	C6-DXCDB-80		2.5
C5-PDNNR-H15-CX	50	100	C5-DXCDB-40	PDNNR-5060-15-CX	1.6
C6-PDNNR-H15-CX	50	100	C6-DXCDB-40		2.4
C5-PDNNR-L15-CX	50	140	C5-DXCDB-80		1.8
C6-PDNNR-L15-CX	50	140	C6-DXCDB-80		2.7




訂貨型號 Order Code	C	L	L型勾 Lever	鎖緊螺絲 Lock Screw	墊片 Shim	C型環 Cshaped washer	扳手 Wrench
PDNNR-3050-15-DX	30	50	174.3-847	174.3-821	171.35-851	174.3-861	L3
PDNNR-5060-15-CX	50	60					

■ MTJN

TN□□1604□□





訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-MTJNR-F16-DX	45	85	C5-DXCDB-40	MTJNR-4545-16-DX	1.5
C6-MTJNR-F16-DX	45	85	C6-DXCDB-40		2.3
C5-MTJNR-K16-DX	45	125	C5-DXCDB-80		1.7
C6-MTJNR-K16-DX	45	125	C6-DXCDB-80		2.5
C5-MTJNR-HK16-CX	0	105	C5-DXCDB-40	MTJNR-0065-16-CX	1.5
C6-MTJNR-HK16-CX	0	105	C6-DXCDB-40		2.3
C5-MTJNR-LX16-CX	0	145	C5-DXCDB-80		1.7
C6-MTJNR-LX16-CX	0	145	C6-DXCDB-80		2.6





訂貨型號 Order Code	C	L	墊片 Shim	鎖緊螺絲 Lock Screw	中心銷 Pin	側固螺絲 Side Screw	扳手 Wrench
MTJNR-4545-16-DX	45	45	170.3-851	170.38-820-1	170.3-870	170.38-845	L4
MTJNR-0065-16-CX	0	65					

■ SCLC





訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-SCLCR-F12-DX	45	80	C5-DXCDB-40	SCLCR-4540-12-DX	1.5
C6-SCLCR-F12-DX	45	80	C6-DXCDB-40		2.3
C5-SCLCR-JX12-DX	45	120	C5-DXCDB-80		1.7
C6-SCLCR-JX12-DX	45	120	C6-DXCDB-80		2.6
C5-SCLCR-GX12-CX	0	95	C5-DXCDB-40	SCLCR-0055-12-CX	1.5
C6-SCLCR-GX12-CX	0	95	C6-DXCDB-40		2.3
C5-SCLCR-KXX12-CX	0	135	C5-DXCDB-80		1.7
C6-SCLCR-KXX12-CX	0	135	C6-DXCDB-80		2.5





訂貨型號 Order Code	C	L	鎖緊螺絲 Lock Screw	扳手 Wrench
SCLCR-4540-12-DX	45	40	CSTB-5	T-20
SCLCR-0055-12-CX	0	55		

■ SDJC




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-SDJCR-F11-DX	45	80	C5-DXCDB-40	SDJCR-4540-11-DX	1.4
C6-SDJCR-F11-DX	45	80	C6-DXCDB-40		2.2
C5-SDJCR-JX11-DX	45	120	C5-DXCDB-80		1.6
C6-SDJCR-JX11-DX	45	120	C6-DXCDB-80		2.5
C5-SDJCR-GX11-CX	3	95	C5-DXCDB-40	SDJCR-0355-11-CX	1.4
C6-SDJCR-GX11-CX	3	95	C6-DXCDB-40		2.2
C5-SDJCR-KXX11-CX	3	135	C5-DXCDB-80		1.6
C6-SDJCR-KXX11-CX	3	135	C6-DXCDB-80		2.5





訂貨型號 Order Code	C	L	鎖緊螺絲 Lock Screw	扳手 Wrench
SDJCR-4540-11-DX	45	40	CSTB-4	T-15
SDJCR-0355-11-CX	3	55		

SDNC





訂貨型號 Order Code	C	L	B	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-SDNCN-F11-DX	35	80	10	C5-DXCDB-40	SDNCN-3540-11-DX	1.4
C6-SDNCN-F11-DX	35	80		C6-DXCDB-40		2.2
C5-SDNCN-JX11-DX	35	120		C5-DXCDB-80		1.6
C6-SDNCN-JX11-DX	35	120		C6-DXCDB-80		2.4
C5-SDNCN-GX11-CX	7	95		C5-DXCDB-40	SDNCN-0755-11-CX	1.5
C6-SDNCN-GX11-CX	7	95		C6-DXCDB-40		2.3
C5-SDNCN-KXX11-CX	7	135		C5-DXCDB-80		1.7
C6-SDNCN-KXX11-CX	7	135		C6-DXCDB-80		2.5





訂貨型號 Order Code	C	L	鎖緊螺絲 Lock Screw	扳手 Wrench
SDNCN-3540-11-DX	35	40	CSTB-4	T-15
SDNCN-0755-11-CX	7	55		

SDQC




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-SDQCR-F11-DX	45	80	C5-DXCDB-40	SDQCR-4540-11-DX	1.4
C6-SDQCR-F11-DX	45	80	C6-DXCDB-40		2.2
C5-SDQCR-JX11-DX	45	120	C5-DXCDB-80		1.6
C6-SDQCR-JX11-DX	45	120	C6-DXCDB-80		2.5
C5-SDQCR-GX11-CX	0	95	C5-DXCDB-40	SDQCR-0055-11-CX	1.4
C6-SDQCR-GX11-CX	0	95	C6-DXCDB-40		2.2
C5-SDQCR-KXX11-CX	0	135	C5-DXCDB-80		1.6
C6-SDQCR-KXX11-CX	0	135	C6-DXCDB-80		2.5





訂貨型號 Order Code	C	L	鎖緊螺絲 Lock Screw	扳手 Wrench
SDQCR-4540-11-DX	45	40	CSTB-4	T-15
SDQCR-0055-11-CX	0	55		

■SER

ISO 16ER




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量(Kg) Weight
C5-SER-F16-DX	45	80	C5-DXCDB-40	SER-4540-16-DX	1.5
C6-SER-F16-DX	45	80	C6-DXCDB-40		2.3
C5-SER-JX16-DX	45	120	C5-DXCDB-80		1.7
C6-SER-JX16-DX	45	120	C6-DXCDB-80		2.3
C5-SER-GX16-CX	9	95	C5-DXCDB-40	SER-0955-16-CX	1.5
C6-SER-GX16-CX	9	95	C6-DXCDB-40		2.3
C5-SER-KXX16-CX	9	135	C5-DXCDB-80		1.7
C6-SER-KXX16-CX	9	135	C6-DXCDB-80		2.5




訂貨型號 Order Code	C	L	墊片 Shim	鎖緊螺絲 Lock Screw	側固螺絲 Side Screw	扳手 Wrench
SER-4540-16-DX	45	40	AE16	CSTB-3.5	M3×0.5	L2.5 T-15
SER-0955-16-CX	9	55				

■SVJC

VC□□1604□□




訂貨型號 Order Code	C	L	B	刀柄型號 Shank Model	刀頭型號 Head Type	重量(Kg) Weight
C5-SVJCR-FX16-DX	45	85	12	C5-DXCDB-40	SVJCR-4545-16-DX	1.4
C6-SVJCR-FX16-DX	45	85		C6-DXCDB-40		2.2
C5-SVJCR-K16-DX	45	125		C5-DXCDB-80		1.6
C6-SVJCR-K16-DX	45	125		C6-DXCDB-80		2.4
C5-SVJCR-GX16-CX	8	95		C5-DXCDB-40	SVJCR-0855-16-CX	1.4
C6-SVJCR-GX16-CX	8	95		C6-DXCDB-40		2.2
C5-SVJCR-KXX16-CX	8	135		C5-DXCDB-80		1.6
C6-SVJCR-KXX16-CX	8	135		C6-DXCDB-80		2.5




訂貨型號 Order Code	C	L	墊片 Shim	鎖緊螺絲 Lock Screw	墊片螺絲 Shim Screw	扳手 Wrench
SVJCR-4545-16-DX	45	45	SSV32	CSTB-3.5LP	DTS5-3.5	L3.5 T-15
SVJCR-0855-16-CX	8	55				

SVQC

VC□□1604□□




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-SVQCR-HX16-CX	0	105	C5-DXCDB-40	SVQCR-0065-16S-CX	1.5
C6-SVQCR-HX16-CX	0	105	C6-DXCDB-40		2.3
C5-SVQCR-LX16-CX	0	145	C5-DXCDB-80		1.7
C6-SVQCR-LX16-CX	0	145	C6-DXCDB-80		2.6




訂貨型號 Order Code	C	L	墊片 Shim	鎖緊螺絲 Lock Screw	側固螺絲 Side Screw	扳手 Wrench
SVQCR-0065-16S-CX	0	65	SSV32	CSTB-3.5LP	DTS5-3.5	L3.5 T-15

SVVC

VC□□1604□□




訂貨型號 Order Code	C	L	B	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-SVVCN-G16-DX	40	90	14	C5-DXCDB-40	SVVCN-4050-16-DX	1.4
C6-SVVCN-G16-DX	40	90		C6-DXCDB-40		2.2
C5-SVVCN-KXX16-DX	40	130		C5-DXCDB-80		1.6
C6-SVVCN-KXX16-DX	40	130		C6-DXCDB-80		2.5
C5-SVVCN-GX16-CX	9	95		C5-DXCDB-40	SVVCN-0955-16-CX	1.4
C6-SVVCN-GX16-CX	9	95		C6-DXCDB-40		2.2
C5-SVVCN-KXX16-CX	9	135		C5-DXCDB-80		1.6
C6-SVVCN-KXX16-CX	9	135		C6-DXCDB-80		2.5




訂貨型號 Order Code	C	L	墊片 Shim	鎖緊螺絲 Lock Screw	墊片螺絲 Shim Screw	扳手 Wrench
SVVCN-4050-16-DX	40	50	SSV32	CSTB-3.5LP	DTS5-3.5	L3.5 T-15
SVVCN-0955-16-CX	9	55				

DMCD




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-DMCD-FX3-DX	60	85	C5-DXCDB-40	DMCD-6045-3-DX	1.7
C6-DMCD-FX3-DX	60	85	C6-DXCDB-40		2.5
C5-DMCD-K3-DX	60	125	C5-DXCDB-80		1.9
C6-DMCD-K3-DX	60	125	C6-DXCDB-80		2.7
C5-DMCD-H3-CX	19	100	C5-DXCDB-40	DMCD-1960-3-CX	1.5
C6-DMCD-H3-CX	19	100	C6-DXCDB-40		2.3
C5-DMCD-L3-CX	19	140	C5-DXCDB-80		1.7
C6-DMCD-L3-CX	19	140	C6-DXCDB-80		2.6




訂貨型號 Order Code	C	L	W	d	適用刀夾 Suitable Cutter Holder	鎖緊螺絲 Lock Screw	扳手 Wrench
DMCD-6045-3-DX	60	45	3	17	A4DR3	M5-16 M4-12	L3,L4
DMCD-1960-3-CX	19	60	3	17			

WJCD




訂貨型號 Order Code	C	L	刀柄型號 Shank Model	刀頭型號 Head Type	重量 (Kg) Weight
C5-WJCD-H3-DX	45	100	C5-DXCDB-40	WJCD-4560-3-DX	1.6
C6-WJCD-H3-DX	45	100	C6-DXCDB-40		2.4
C5-WJCD-L3-DX	45	140	C5-DXCDB-80		1.8
C6-WJCD-L3-DX	45	140	C6-DXCDB-80		2.6
C5-WJCD-HX3-CX	12	105	C5-DXCDB-40	WJCD-1265-3-CX	1.5
C6-WJCD-HX3-CX	12	105	C6-DXCDB-40		2.3
C5-WJCD-LX3-CX	12	145	C5-DXCDB-80		1.7
C6-WJCD-LX3-CX	12	145	C6-DXCDB-80		2.6



訂貨型號 Order Code	C	L	W	d	適用刀夾 Suitable Cutter Holder	鎖緊螺絲 Lock Screw	扳手 Wrench
WJCD-4560-3-DX	45	60	3	17	A4DR3	M5-16 M4-12	L3,L4
WJCD-1265-3-CX	12	65	3	17			

ESF燒結刀柄-PSC柄
SHRINK FIT TOOL HOLDER-PSC SHANK



訂貨型號 Order Code	A	ΦD1	ΦD2	ΦD3	L	重量(Kg) Weight
C6-ESF06-80	80	6	21	27	36	1.0
-ESF06-100	100					1.1
-ESF06-120	120					1.2
-ESF06-130	130					1.2
-ESF06-160	160					1.4
C6-ESF08-80	80	8	21	27	36	1.0
-ESF08-100	100					1.1
-ESF08-120	120					1.2
-ESF08-130	130					1.2
-ESF08-160	160					1.4
C6-ESF10-80	80	10	24	32	42	1.1
-ESF10-100	100					1.2
-ESF10-120	120					1.3
-ESF10-130	130					1.3
-ESF10-160	160					1.5
C6-ESF12-80	80	12	24	32	47	1.1
-ESF12-100	100					1.2
-ESF12-130	130					1.3
-ESF12-160	160					1.5
C6-ESF14-80	80	14	27	34	47	1.1
-ESF14-100	100					1.2
-ESF14-130	130					1.4
-ESF14-160	160					1.6
C6-ESF16-85	85	16	27	34	50	1.1
-ESF16-100	100					1.2
-ESF16-120	120					1.4
-ESF16-130	130					1.4
-ESF16-160	160					1.6
C6-ESF18-85	85	18	33	42	50	1.2
-ESF18-100	100					1.4
-ESF18-130	130					1.7
-ESF18-160	160					2.0
C6-ESF20-85	85	20	33	42	52	1.2
-ESF20-100	100					1.4
-ESF20-120	120					1.7
-ESF20-130	130					1.7
-ESF20-160	160					2.0
C6-ESF25-90	90	25	44	53	58	1.5
-ESF25-130	130					2.1
-ESF25-160	160					2.6
C6-ESF32-95	95	32	44	53	58	1.5
-ESF32-130	130					2.1
-ESF32-160	160					2.6


★ 其余PSC柄部類型可非標定制

HDC油壓刀柄-PSC柄
HYDRAULIC TOOL HOLDER-PSC SHANK



訂貨型號 Order Code	d	ØD	ØD1	L	L1	刀具調整量 Tool Adjustment H	最小加持長度 Shortest clamping length E	重量 (Kg) Weight
C5-HDC06-90	6	26	45	90	45	28-50	28	1.0
-HDC08-90	6	28				33-50	33	1.1
-HDC10-90	10	30				38-50	38	
-HDC16-90	16	38				43-50	43	1.2
-HDC20-90	20	42				43-78	43	
-HDC25-90	25	52	63			47-78	47	1.7
C6-HDC06-90	6	26	45	90	43	28-50	28	1.2
-HDC08-90	8	28				33-55	33	1.3
-HDC10-90	10	30				38-60	38	1.4
-HDC12-90	12	32	48		47	43-70	43	1.4
-HDC16-90	16	38	50			52-80	52	1.5
-HDC20-90	20	42	55			56-80.5	56	1.6
-HDC25-90	25	-	63		-			
-HDC32-90	32	-	75		-			


SD精密彈性筒夾刀柄-PSC柄
SD COLLET HOLDER-PSC SHANK



訂貨型號 Order Code	L	ØD	夾持範圍Ød Clamping range	重量(Kg) Weight
C4-SD06-40	40	20	1.75-6	0.4
-SD10-50	50	29	1.75-10	0.5
-100	100	29	1.75-10	0.6
-SD16-60	60	41	2.75-16	0.5
-SD20-100	100	50	4-20	1
-SD25-100	100	55	6-25	1.2
C5-SD06-45	45	20	1.75-6	0.5
C5-SD06-100	100	20	1.75-6	0.6
C5-SD10-50	50	29	1.75-10	0.7
-SD10-100	100	29	1.75-10	0.9
C5-SD16-65	65	41	2.75-16	1
-SD16-80	80	41	2.75-16	1.1
-100	100	41	2.75-16	1.2
C5-SD20-70	70	50	4-20	1.2
-SD20-100	100	50	4-20	1.3
-150	150	50	4-20	2.0
-SD25-100	100	55	6-25	1.6
-150	150	55	6-25	2.2
C6-SD06-100	100	20	1.75-6	1.0
-SD10-100	100	29	1.75-10	1.1
-SD16-80	80	41	2.75-16	1.3
-100	100	41	2.75-16	1.4
-SD20-100	100	50	4-20	1.5
-150	150	50	4-20	2.2
-SD25-100	100	55	6-25	1.8
-150	150	55	6-25	2.4

- ★ 標配含扳手。
★ 以上規格均不含筒夾，需另外訂購。
★ Standard contains spanner
★ The above model do not include collet, please order them separately if necessary.

ER彈性筒夾刀柄-PSC柄
ER COLLET HOLDER-PSC SHANK




訂貨型號 Order Code	L	ØD	夾持範圍Ød Clamping range	重量(Kg) Weight
C3-ER11-33	33	19	2.5-7	0.3
ER16-43	43	30	2.0-10	0.5
-50	50	30	2.0-10	0.6
C4-ER16-47	47	30	2.0-10	0.8
-70	70	30	2.0-10	0.9
-100	100	30	2.0-10	1.0
ER20-52	52	34	2.0-13	1.0
-100	100	34	2.0-13	1.2
ER25-52	52	42	2.0-13	1.1
-100	100	42	2.0-13	1.3
ER32-54	54	50	2.0-20	1.2
C5-ER16-100	100	30	0.5-10	1.0
-ER20-100	100	35	1.0-13	1.1
-ER25-60	60	42	1.0-16	1.2
-ER25-100	100	42	1.0-16	1.4
-ER32-60	60	50	2.0-20	1.4
-ER32-100	100	50	2.0-20	1.7
C6-ER16-100	100	30	0.5-10	1.3
-ER20-100	100	35	1.0-13	1.4
-ER25-100	100	42	1.0-16	1.5
-ER32-70	70	50	2.0-20	1.5
-ER32-100	100	50	2.0-20	1.7
-150	150	50	2.0-20	2.4
-ER40-100	100	63	3.0-26	1.8
-150	150	63	3.0-26	2.8

- ★ 以上規格均不含扳手及筒夾，如有需要請另外訂購。

The above model do not include spanner and collet, please order them separately if necessary.

FMA面銑刀柄 – PSC柄


FMA FACE MILL CUTTER HOLDER-PSC SHANK



訂貨型號 Order Code	L	ød(h6)	øD	H	K	W	重量 (Kg) Weight
C3-FMA19.05-30	30	19.05	44.5	17	4.5	7.8	0.4
C4-FMA19.05-25	25	19.05	44.5	17	4.5	7.8	0.5
FMA25.4-35	35	25.4	50	20	5	9.5	0.6
C5-FMA25.4-50	50	25.4	50	20	5	9.5	0.9
-100	100						1.7
-FMA31.75-50	50	31.75	60	22	7	12.7	1.1
-100	100						2.2
-FMA38.1-50	50	38.1	80	25	9	15.9	1.7
-100	100						3.0
C6-FMA25.4-50	50	25.4	50	20	5	9.5	1.3
-100	100						2.1
-FMA31.75-50	50	31.75	60	22	7	12.7	1.5
-100	100						2.6
-FMA38.1-60	60	38.1	80	25	9	15.9	2.1
-120	120						3.4

FMB(C)面銑刀柄 – PSC柄

FMB(C) FACE MILL CUTTER HOLDER-PSC SHANK




注：B型使用大頭鎖緊螺絲,C型使用小頭鎖緊螺絲。

B model use big clamping screw,C model use small clamping screw.


訂貨型號 Order Code	L	ød	øD	H	K	W	重量 (Kg) Weight
C3-FMB(C)16-30	30	16	35	17	5	8	0.4
C4-FMB(C)16-32	32	16	35	17	5	8	0.5
-55	55	16	35	17	5	8	0.6
FMB(C)22-55	55	22	48	18	5	10	0.7
C5-FMB(C)22-50	50	22	48	18	5	10	0.9
-70	70						1.2
-120	120	27	60	20	6	12	1.4
-FMB(C)27-60	60						1.1
-120	120	32	72	22	7	14	2.2
-FMB(C)32-60	60						1.5
-120	120	40	80	25	8	16	2.9
-FMB(C)40-60	60						2.4
-120	120	22	48	18	5	10	3.7
C6-FMB(C)22-50	50						1.3
-100	100	27	60	20	6	12	1.8
-FMB(C)27-50	50						1.5
-100	100	32	72	22	7	14	2.6
-FMB(C)32-60	60						1.9
-120	120	40	80	25	8	16	3.3
-FMB(C)40-60	60						2.8
-120	120						4.1

SL側固式端銑刀柄-PSC柄
SL SIDE LOCK HOLDER-PSC SHANK




訂貨型號 Order Code	圖號 FIG	L	ød	øD	H1	H2	G	重量 (Kg) Weight		
C4-SL10-60	1	60	10	35	20	25	M10X1.0	0.6		
C4-SL16-56		56	16	48	23		M14X1.5	0.8		
C4-SL20-60		60	20	52	25		M16X1.5	1.0		
C4-SL20-70		70	20	52	25		M16X1.5	1.1		
C4-SL25-77	2	77	25	62	24	25	M18X2.0	1.5		
C4-SL25-90		90	25	62	24		M18X2.0	1.6		
C5-SL06-80	1	80	6	25	18	25	M6×0.75	0.6		
-SL08-80		80	8	28	18		M8×1.0	0.7		
-SL10-80		80	10	35	20		M10×1.0	0.8		
-SL12-90		90	12	42	22.5		M12×1.5	1.0		
SL14-90		90	14	45	23			1.1		
-SL16-100		100	16	48	24		M14×1.5	1.3		
-SL18-100		100	18	50				1.4		
-SL20-100		100	20	52	25		M16×1.5	1.5		
-SL25-110		2	110	25	62		24	25	M18×2.0	2.0
-SL32-110			110	32	63			28	M20×2.0	1.9
C6-SL06-80	1	80	6	25	18	25	M6×0.75	1.0		
-SL08-80		80	8	28	18		M8×1.0	1.1		
-SL10-80		80	10	35	20		M10×1.0	1.2		
-SL12-90		90	12	42	22.5		M12×1.5	1.4		
SL14-90		90	14	45	23			1.5		
-SL16-100		100	16	48	24		M14×1.5	1.7		
-SL18-100		100	18	50				1.8		
-SL20-100		100	20	52	25		M16×1.5	1.9		
-SL25-110		2	110	25	62		24	25	M18×2.0	2.4
-SL32-110			110	32	63			28	M20×2.0	2.3

EMC強力銑刀刀柄-PSC柄
EMC POWERFUL MILL HOLDERS - PSC SHANK



訂貨型號 Order Code	L	øD	加持範圍 ød Clamping range	重量 (Kg) Weight
C5-EMC20-80	80	53.5	6-20	0.9
-EMC20-135	135	53.5	6-20	1.2
C6-EMC20-80	80	53.5	6-20	1.7
-EMC20-135	135	53.5	6-20	2
-EMC32-90	90	73.5	6-32	2.2
-EMC32-120	120	73.5	6-32	2.9

EM小銑頭刀柄 - PSC柄
EM SMALL MILLING HEAD HOLDER-PSC SHANK




訂貨型號 Order Code	L	L1	ØD	G	重量(Kg) Weight
C5-EM08-100	100	74	13.8	M8	0.5
-150	150	124			0.6
-EM10-100	100	74	18.5	M10	0.6
-150	150	124			0.7
-EM12-100	100	74	23	M12	0.7
-150	150	124			0.9
-EM16-100	100	74	30	M16	0.8
-150	150	124			1.1
C6-EM08-100	100	74	13.8	M8	0.9
-150	150	124			1.0
-EM10-100	100	74	18.5	M10	1.0
-150	150	124			1.1
-EM12-100	100	74	23	M12	1.1
150	150	124			1.3
-EM16-100	100	74	30	M16	1.2
-150	150	124			1.5

★ 以上規格均不含小銑頭, 如有需要請另外訂購。
The above model do not include small milling head ,please order them separately if necessary..

阻尼減震鏜刀-PSC柄
DAMPING DAMPING - PSC SHANK


PSC



型號	L	L1	ØD	D1	A
C6-FBN34-44-L240-JZ	278	240	34-44	30	TP□□0802
C6-FBN43-55-L320-JZ	358	320	43-55	40	TP□□0902
C6-FBN43-55-L400-JZ	438	400	43-55	40	TP□□0902
C6-FBN54-76-L400-JZ	438	400	54-76	50	TP□□0902
C6-FBN54-76-L500-JZ	538	500	54-76	50	TP□□0902
C6-FBN75-105-L480-JZ	518	480	75-105	63	TP□□0902
C6-FBN75-105-L600-JZ	638	600	75-105	63	TP□□0902

ECK鏜刀刀柄 - PSC柄

ECK BORING HOLDER-PSC SHANK



訂貨型號 Order Code	ØD1	ØD2	M	L	L1	L2	L3	重量 (Kg) Weight
C5-ECK0-100	21	25	85	100	140	109	45	0.6
C5-ECK1-100	23	36	100	100	140	109	60	0.6
-ECK2-100	29	—	114	100	145	114	—	0.8
-125		40	121	125	170	139	76	1.0
-ECK3-100	37	—	128	100	155	128	—	1.0
-125		—	149	125	180	149	—	1.2
-ECK4-100	48	—	129	100	160	129	—	1.3
-125		—	153	125	185	153	—	1.6
-ECK5-100	60	—	144	100	175	144	—	1.5
-125		—	169	125	200	169	—	2.0
C6-ECK0-100	21	25	85	100	140	109	45	1.0
C6-ECK1-100	23	36	100	100	140	109	60	1.0
-ECK2-100	29	—	114	100	145	114	—	1.2
-125		40	121	125	170	139	76	1.4
-ECK3-100	37	—	128	100	155	128	—	1.4
-125		—	149	125	180	149	—	1.6
-ECK4-100	48	—	129	100	160	129	—	1.7
-125		—	153	125	185	153	—	2.0
-ECK5-100	60	—	144	100	175	144	—	1.9
-125		—	169	125	200	169	—	2.4

★ 以上所有規格鏜刀刀柄均不含鏜刀頭，如有需要請另外訂購。
The above model boring holders do not include boring head, please order them separately if necessary.


PSC 精鏜頭

TYPE PSC FINE BORING HEAD

中心出水
SPLASH BAR



PSC模塊化接口鏜刀
PSC modular interface boring tools
兩面拘束，更高剛性高重複定位精度
Dual Contract, higher rigidity and high repeat positioning accuracy
帶內冷延長刀片壽命
With internal cooling to prolong the blade service life




最小底孔直徑 = B + (反鏜加工直徑/2)
Min. diameter for bottom hole Counter-boring diameter

訂貨型號 Order Code	PSC No.	刀片座 Insert base	鎖緊螺絲 Locking screw for insert base	正鏜 Boring			反鏜 Counter-boring				重量 Kg	鎖緊力矩 Tightening torque
				加工範圍 ØD	L	L1	加工範圍 ØD	L2	L3	B		
FBN34-44 C3	2	FIH2	FSM406	34-44	50	47	36-44	25	25	15	0.28	15kgf/cm
		FIH2-2		42-55			42-52					
		FIH2-3		50-60			50-60					
FBN43-55 C4	3	FIH3	FSM508	43-55	70	68	45-55	39.5	30.5	19	0.62	25kgf/cm
		FIH3-2		53-66			53-66					
		FIH3-3		63-76			63-76					
FBN54-76 C5	4	FIH4	FSM608	54-76	80	75	57-76	42	38	24.5	1.12	60kgf/cm
		FIH4-2		66-88			66-88					
		FIH4-3		78-100			78-100					
FBN75-105 C6	5	FIH5	FSM810	75-105	90	85	75-105	45.5	44.5	30.5	2.22	100kgf/cm
		FIH5-2		101-131			101-131					
		FIH5-3		125-155			125-155					
FBN104-150 C6	6	FIH5	FSM810	104-150	110	105	104-150	64.5	45.5	40.5	3.77	100kgf/cm
		FIH5-2		130-176			130-176					
		FIH5-3		154-200			154-200					

型號 Type	鎖緊螺絲 Locking screw	鎖緊螺絲扳手 Wrench for locking screw	刀片螺絲 insert screw	刀片螺絲扳手 Wrench for insert screw	刀片 Insert
FBN34-44 C3	FLS508	2.5	CSTB2	T6	TP□□0802
FBN43-55 C4	FLS610	3	CSTB2.5	T8	TC□□1102 TP□□0902
FBN54-76 C5	FLS812	4			
FBN75-105 C6	FLS1015	5			
FBN104-150 C6					


刀尖高度的重複精度出類拔萃
Excellent repeatability of tool tip

沒有間隙的三棱錐起到傳動作用，實現了更高的重複精度。
The triangular pyramid acts as a transmission to achieve higher repeatability.



PSC 转接刀柄 - HSK柄


PSC EXTENSION ADAPTER - HSK SHANK



訂貨型號 OrderCode	ØD	L	L1	重量 kg Weight
HSK-A63-C3-75	32	75	49	1.3
HSK-A63-C4-80	40	80	54	1.66
HSK-A63-C5-90	50	90	64	1.5
HSK-A100-C3-80	32	80	51	3.8
HSK-A100-C4-90	40	90	61	4.1
HSK-A100-C5-100	50	100	71	3.24
HSK-A100-C6-110	63	110	81	3.4

PSC 延長桿


PSC EXTENSION SHANK



訂貨型號 OrderCode	ØD	L	重量 kg Weight
C3-C3-60	32	60	0.33
C4-C4-60	40	60	0.52
C5-C5-80	50	80	1.1
C6-C6-100	63	100	2.32
C8-C8-100	80	100	3.44

PSC 转接刀柄 - BT 柄


PSC EXTENSION ADAPTER - BT SHANK



訂貨型號 OrderCode	ØD	L	L1	重量 kg Weight
BT50-C3-40	32	40	2	3.55
BT50-C3-70	32	70	32	3.68
BT50-C4-40	40	40	2	3.53
BT50-C4-70	40	70	32	3.76
BT50-C5-40	50	40	2	3.44
BT50-C5-80	50	80	42	3.97
BT50-C6-50	63	50	12	3.5
BT50-C6-100	63	110	72	4.6

PSC 減徑桿

PSC REDUCTION SHANK




訂貨型號 OrderCode	ØD	L	L1	重量 kg Weight
C4-C3-55	32	55	35	0.49
C5-C3-60	32	60	40	0.64
C5-C4-65	40	65	45	0.71
C6-C3-70	32	70	48	1.1
C6-C4-80	40	80	58	1.25
C6-C5-80	50	80	58	1.46
C8-C3-60	32	60	30	1.7
C8-C4-70	40	70	40	1.93
C8-C5-80	50	80	50	2.3
C8-C6-80	63	80	50	2.3

BMT刀塔-PSC模組化固定刀座
BMT - PSC Static Tool Holder




訂貨型號 Order Code	D	E	F	A	B	CP Bar/PSL	Nm	Kg
BMT55C-PSC-C4-70-R	40	70	66	135	85	80	50	2.2
BMT55C-PSC-C4-70-L	40	70	66	135	85	80	50	2.2
BMT65C-PSC-C4-60-R	40	60	71	146	96	80	50	3.7
BMT65C-PSC-C4-60-L	40	60	71	146	96	80	50	3.7
BMT65C-PSC-C5-50-R	50	50	88	175	96	80	70	5.7
BMT65C-PSC-C5-50-L	50	50	88	175	96	80	70	5.7



訂貨型號 Order Code	D	E	F	A	B	CP Bar/PSL	Nm	Kg
BMT75C-PSC-C5-40-R	50	40	35	182	112	80	70	7
BMT75C-PSC-C5-40-L	50	40	35	182	112	80	70	7
BMT85C-PSC-C6-35-R	63	35	43	225	124	80	90	11.7
BMT85C-PSC-C6-35-L	63	35	43	225	124	80	90	11.7


● R:右手型 ● L:左手型
Right-hand type Left-hand type

BMT刀塔-PSC模組化固定刀座
BMT - PSC Static Tool Holder




訂貨型號 Order Code	D	C	E	F	A	B	CP Bar/PSL	Nm	Kg
BMT55B-PSC-C4-70-R	40	94	70	76	120	85	80	50	4.6
BMT55B-PSC-C4-70-L	40	94	70	76	120	85	80	50	4.6
BMT65B-PSC-C4-100-R	40	124	100	70	117	92	80	50	6.5
BMT65B-PSC-C4-100-L	40	124	100	70	117	92	80	50	6.5
BMT65B-PSC-C5-100-R	50	132	100	70	117	92	80	70	6.5
BMT65B-PSC-C5-100-L	50	132	100	70	117	92	80	70	6.5
BMT75B-PSC-C5-60-R	50	92	60	92	150	112	80	70	7
BMT75B-PSC-C5-60-L	50	92	60	92	150	112	80	70	7
BMT75B-PSC-C6-60-R	63	102	60	92	150	112	80	90	11.5
BMT75B-PSC-C6-60-L	63	102	60	92	150	112	80	90	11.5
BMT85B-PSC-C6-85-R	63	127	85	55	195	124	80	90	21.9
BMT85B-PSC-C6-85-L	63	127	85	55	195	124	80	90	21.9
BMT85B-PSC-C8-85-R	80	135	85	55	195	135	80	130	27
BMT85B-PSC-C8-85-L	80	135	85	55	195	135	80	130	27

● R:右手型 ● L:左手型
Right-hand type Left-hand type



訂貨型號 Order Code	D	C	E	F	A	B	CP Bar/PSL	Nm	Kg
BMT65B-PSC-C4-100-S-R	40	124	100	20	98	92	80	50	6.1
BMT65B-PSC-C4-100-S-L	40	124	100	20	98	92	80	50	6.1


● R:右手型 ● L:左手型
Right-hand type Left-hand type



訂貨型號 Order Code	D	E	F	G	A	B	CP Bar/PSL	Nm	Kg
BMT65C-PSC-C4x2-100Z-R	40	80	50	50	148	96	80	50	7.6
BMT65C-PSC-C4x2-100Z-L	40	80	50	50	148	96	80	50	7.6

● R:右手型 ● L:左手型
Right-hand type Left-hand type


BMT刀塔-PSC模組化固定刀座
BMT - PSC Static Tool Holder



訂貨型號 Order Code	D	E	F	A	B	CP Bar/PSL	Nm	Kg
BMT65C-PSC-C4x2-81-24-R	40	70	81	152	137	80	50	4.7
BMT65C-PSC-C4x2-81-24-L	40	70	81	152	137	80	50	4.7

● R:右手型 ● L:左手型
Right-hand type Left-hand type



BMT刀塔-PSC模組化固定刀座
BMT - PSC Static Tool Holder



訂貨型號 Order Code	D	E	F	G	H	A	B	CP Bar/PSL	Nm	Kg
BMT65C-PSC-C4x2-60Y-R	40	70	73	30	30	144	116	80	50	5.2
BMT65C-PSC-C4x2-60Y-L	40	70	73	30	30	144	116	80	50	5.2

● R:右手型 ● L:左手型
Right-hand type Left-hand type



BMT刀塔-PSC模組化動力刀座
BMT - PSC Driven Tool Holder



訂貨型號 Order Code	D	D1	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
DW230-DA55-PSC-C3-55-E	55	32	55	0	85	85	6000	80	25	3.2
DW230-DA55-PSC-C3-55-I	55	32	55	0	85	85	6000	80	25	3.2
DW300-DA65-PSC-C4-54-E	65	40	54	0	96	96	6000	80	40	4.2
DW300-DA65-PSC-C4-54-I	65	40	54	0	96	96	6000	80	40	4.3
DW350-DA75-PSC-C5-68-E	75	50	68	0	112	112	4000	80	60	6.8
DW350-DA75-PSC-C5-68-I	75	50	68	0	112	112	4000	80	60	7.2
DW700-DA85-PSC-C6-85-E	85	63	85	0	125	125	3000	80	75	11.3
DW700-DA85-PSC-C6-85-I	85	63	85	0	125	125	3000	80	75	11.6


● E:外冷 ● I:內冷
External coolant Internal coolant

BMT刀塔-PSC模組化動力刀座
BMT - PSC Driven Tool Holder




訂貨型號 Order Code	D	D1	C	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
DW230-DF55-PSC-C3-70-E	55	32	104	70	67	121	85	6000	80	25	7
DW230-DF55-PSC-C3-70-I	55	32	104	70	67	126	85	6000	80	25	7.1
DW300-DF65-PSC-C4-100-E	65	40	140	100	68	130	96	6000	80	40	10
DW300-DF65-PSC-C4-100-I	65	40	140	100	68	134	96	6000	80	40	10.2
DW350-DF75-PSC-C5-60-E	75	50	106	60	83	150	112	4000	80	60	12.9
DW350-DF75-PSC-C5-60-I	75	50	106	60	83	156	112	4000	80	60	13.5
DW700-DF85-PSC-C6-85-E	85	63	141	85	104	184	125	3000	80	75	22.4
DW700-DF85-PSC-C6-85-I	85	63	141	85	104	190	125	3000	80	75	23

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	D1	E	F	A	B	CP Bar/PSL	Nm	Kg
MZ-V40C-PSC-C4-58-R	40	40	100	58	164	84	80	50	6.2
MZ-V40C-PSC-C4-58-L	40	40	100	58	164	84	80	50	6.2
MZ-V40C-PSC-C4-63-R	40	40	100	63	132	84	80	50	5.3
MZ-V40C-PSC-C4-63-L	40	40	100	63	132	84	80	50	5.3
MZ-V50C-PSC-C6-42-R	50	63	105	42	169	106	80	90	10.2
MZ-V50C-PSC-C6-42-L	50	63	105	42	169	106	80	90	10.2

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	D1	C	E	F	A	B	CP Bar/PSL	Nm	Kg
MZ-V40B-PSC-C4-140-R	40	40	164	140	76	158	84	80	50	10.1
MZ-V40B-PSC-C4-140-L	40	40	164	140	76	158	84	80	50	10.1
MZ-V40B-PSC-C4-150-R	40	40	174	150	10	142	84	80	50	9.5
MZ-V40B-PSC-C4-150-L	40	40	174	150	10	142	84	80	50	9.5
MZ-V50B-PSC-C6-170-R	50	63	212	170	70	155	106	80	90	17.9
MZ-V50B-PSC-C6-170-L	50	63	212	170	70	155	106	80	90	17.9

● R:右手型 ● L:左手型
Right-hand type Left-hand type



訂貨型號 Order Code	D	E	F	G	A	B	CP Bar/PSL	Nm	Kg
MZ-BMT68C-PSC-C5x2-110Z-R	50	90	50	60	174	84	80	70	10
MZ-BMT68C-PSC-C5x2-110Z-L	50	90	50	60	174	84	80	70	10


● R:右手型 ● L:左手型
Right-hand type Left-hand type



訂貨型號 Order Code	D	D1	C	E	F	G	A	B	CP Bar/PSL	Nm	Kg
MZ-BMT68B-PSC-C5x2-140-R	68	50	172	140	15	133	193	84	80	70	9.8
MZ-BMT68B-PSC-C5x2-140-L	68	50	172	140	15	133	193	84	80	70	9.8

● R:右手型 ● L:左手型
Right-hand type Left-hand type


MAZAK機床-PSC模組化動力刀座
MAZAK-PSC Driven Tool Holder



訂貨型號 Order Code	D	D1	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
MZ-DA40-PSC-C4-83-E	40	40	83	0	86	80	6000	80	40	3.8
MZ-DA40-PSC-C4-83-I	40	40	83	0	86	80	6000	80	40	3.8


■ E:外冷 ■ I:內冷
 External coolant Internal coolant

MAZAK機床-PSC模組化動力刀座
MAZAK-PSC Driven Tool Holder




訂貨型號 Order Code	D	D1	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
MZ-DA68-PSC-C4-55-E	68	40	55	0	127	84	6000	80	40	4
MZ-DA68-PSC-C4-55-I	68	40	55	0	127	84	6000	80	40	4
MZ-DA80-PSC-C5-70-E	80	50	70	0	177	105	4000	80	60	8.2
MZ-DA80-PSC-C5-70-I	80	50	70	0	177	105	4000	80	60	8.3

■ E:外冷 ■ I:內冷
 External coolant Internal coolant




訂貨型號 Order Code	D	D1	C	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
MZ-DF68-PSC-C4-80-E	68	40	117	80	65	144	84	6000	80	40	7.9
MZ-DF68-PSC-C4-80-I	68	40	117	80	65	144	84	6000	80	40	8.1
MZ-DF80-PSC-C5-100-E	80	50	146	100	75	177	105	4000	80	60	15.7
MZ-DF80-PSC-C5-100-I	80	50	146	100	75	177	105	4000	80	60	16

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	D1	C	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
MZ-DF40-PSC-C4-130-E	40	40	169	130	62	142	88	6000	80	40	9.9
MZ-DF40-PSC-C4-130-I	40	40	169	130	62	142	88	6000	80	40	10.1
MZ-DF50-PSC-C5-160-E	50	50	209	160	86	165	104	4000	80	60	16.5
MZ-DF50-PSC-C5-160-I	50	50	209	160	86	170	104	4000	80	60	17.1

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	D1	E	F	A	B	CP Bar/PSL	Nm	Kg
MS-BMT40C-PSC-C4-75-R	40	40	75	53	127	77	80	50	3
MS-BMT40C-PSC-C4-75-L	40	40	75	53	127	77	80	50	3
MS-BMT60C-PSC-C4-80-R	60	40	80	51	140	108	80	50	6.2
MS-BMT60C-PSC-C4-80-L	60	40	80	51	140	108	80	50	6.2
MS-BMT60C-PSC-C5-95-R	60	50	98	37	134	108	80	70	6.6
MS-BMT60C-PSC-C5-95-L	60	50	98	37	134	108	80	70	6.6

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	D1	C	E	F	A	B	CP Bar/PSL	Nm	Kg
MS-BMT40B-PSC-C4-100-R	40	40	124	100	32	100	77	80	50	5.8
MS-BMT40B-PSC-C4-100-L	40	40	124	100	32	100	77	80	50	5.8
MS-BMT60B-PSC-C4-90-R	60	40	114	90	65	130	108	80	50	7.8
MS-BMT60B-PSC-C4-90-L	60	40	114	90	65	130	108	80	50	7.8
MS-BMT60B-PSC-C5-90-R	60	50	122	90	65	130	108	80	70	8.8
MS-BMT60B-PSC-C5-90-L	60	50	122	90	65	130	108	80	70	8.8
MS-BMT60B-PSC-C6-110-R	60	63	152	110	37	130	130	80	90	12.3
MS-BMT60B-PSC-C6-110-L	60	63	152	110	37	130	130	80	90	12.3

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	D1	E	F	G	A	B	CP Bar/PSL	Nm	Kg
MS-BMT40C-PSC-C4x2-86Z-R	40	40	75	43	43	134	77	80	50	4.3
MS-BMT40C-PSC-C4x2-86Z-L	40	40	75	43	43	134	77	80	50	4.3
MS-BMT60C-PSC-C4x2-115Z-R	60	40	80	45	70	134	108	80	50	7.7
MS-BMT60C-PSC-C4x2-115Z-L	60	40	80	45	70	134	108	80	50	7.7
MS-BMT60C-PSC-C4x2-99Z-R	60	50	95	37	62	163	108	80	70	8.5
MS-BMT60C-PSC-C4x2-99Z-L	60	50	95	37	62	163	108	80	70	8.5

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	D1	E	F	G	H	A	B	CP Bar/PSL	Nm	Kg
MS-BMT40C-PSC-C4x2-50Y-R	40	40	72	70	25	25	144	101	80	50	4.8
MS-BMT40C-PSC-C4x2-50Y-L	40	40	72	70	25	25	144	101	80	50	4.8
MS-BMT60C-PSC-C4x2-58Y-R	60	40	80	82	29	29	171	108	80	50	7.4
MS-BMT60C-PSC-C4x2-58Y-L	60	40	80	82	29	29	171	108	80	50	7.4

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	D1	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
MS-DA40-PSC-C3-64-I	40	32	64	0	96	80	6000	80	25	3.5
MS-DA40-PSC-C4-58-E	40	40	58	0	96	86	6000	80	40	3
MS-DA60-PSC-C4-65-E	60	40	65	0	130	108	6000	80	40	6.5
MS-DA60-PSC-C4-92-I	60	40	92	0	130	108	6000	80	40	9.2
MS-DA60-PSC-C5-69-E	60	50	69	0	130	108	6000	80	60	6.5

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	D1	C	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
MS-DF40-PSC-C4-85-E	40	40	125	85	65	130	80	6000	80	40	6.5
MS-DF40-PSC-C4-85-I	40	40	125	85	65	134	80	6000	80	40	6.7
MS-DF60-PSC-C4-90-E	60	40	136	90	60	130	108	6000	80	40	13
MS-DF60-PSC-C4-90-I	60	40	136	90	60	133	108	6000	80	40	12
MS-DF60-PSC-C5-90-E	60	50	136	90	60	130	108	6000	80	60	12
MS-DF60-PSC-C5-90-I	60	50	136	90	60	133	108	6000	80	60	12

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	E	F	A	B	CP Bar/PSL	Nm	Kg
55NAC-PSC-C4-50-R	40	50	65	129	84	80	50	3.4
55NAC-PSC-C4-50-L	40	50	65	129	84	80	50	3.4
65NAC-PSC-C4-50-R	40	50	75	149	96	80	50	6.0
65NAC-PSC-C4-50-L	40	50	75	149	96	80	50	6.0
75NAC-PSC-C5-80-R	50	80	72	160	110	80	70	5.2
75NAC-PSC-C5-80-L	50	80	72	160	110	80	70	5.2

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	C	E	F	A	B	CP Bar/PSL	Nm	Kg
55NAB-PSC-C4-75-R	40	99	75	25	96	84	80	50	4.5
55NAB-PSC-C4-75-L	40	99	75	25	96	84	80	50	4.5
65NAB-PSC-C4-90-R	40	114	90	10	98	94	80	50	6
65NAB-PSC-C4-90-L	40	114	90	10	98	94	80	50	6

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	C	E	F	A	B	CP Bar/PSL	Nm	Kg
65NAB-PSC-C4-90-S-R	40	114	90	45	116	94	80	50	3.9
65NAB-PSC-C4-90-S-L	40	114	90	45	116	94	80	50	3.9

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	E	F	G	A	B	CP Bar/PSL	Nm	Kg
55NAC-PSC-C4x2-130Z-R	40	50	25	105	178	84	80	50	5.2
55NAC-PSC-C4x2-130Z-L	40	50	25	105	178	84	80	50	5.2
65NAC-PSC-C4x2-150Z-R	40	50	25	125	198	96	80	50	7.7
65NAC-PSC-C4x2-150Z-L	40	50	25	125	198	96	80	50	7.7

● R:右手型 ● L:左手型
Right-hand type Left-hand type



訂貨型號 Order Code	D	D1	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
DA55NA-PSC-C3-55-E	55	32	55	0	79	84	6000	80	25	3
DA55NA-PSC-C3-55-I	55	32	55	0	79	84	6000	80	25	3.2
DA65NA-PSC-C4-53-E	65	40	53	0	100	96	6000	80	40	4.6
DA65NA-PSC-C4-53-I	65	40	53	0	100	96	6000	80	40	4.7

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	D1	C	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
DF55NA-PSC-C3-65-E	55	32	100	65	50	99	84	6000	80	25	4.6
DF55NA-PSC-C3-65-I	55	32	100	65	50	104	84	6000	80	25	4.8
DF65NA-PSC-C4-65-E	65	40	105	65	68	130	96	6000	80	40	7.3
DF65NA-PSC-C4-65-I	65	40	105	65	68	134	96	6000	80	40	7.5

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	D1	E	F	A	B	CP Bar/PSL	Nm	Kg
OK55C-PSC-C4-50-R	55	40	50	67	141	86	80	50	2.2
OK55C-PSC-C4-50-L	55	40	50	67	141	86	80	50	2.2
OK60C-PSC-C4-70-R	60	40	70	56	130	95	80	50	4.5
OK60C-PSC-C4-70-L	60	40	70	56	130	95	80	50	4.5

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	C	E	F	A	B	CP Bar/PSL	Nm	Kg
OK60B-PSC-C4-90-R	40	114	90	17	117	95	80	50	5.8
OK60B-PSC-C4-90-LI	40	114	90	17	117	95	80	50	5.8

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	C	E	F	A	B	CP Bar/PSL	Nm	Kg
OK60B-PSC-C4-90-S-R	40	114	90	60	110	95	80	50	5.2
OK60B-PSC-C4-90-S-L	40	114	90	60	110	95	80	50	5.2

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	D1	E	F	G	A	B	CP Bar/PSL	Nm	Kg
OK55C-PSC-C4x2-134Y-R	55	40	50	67	67	182	86	80	50	5.9
OK55C-PSC-C4x2-134Y-L	55	40	50	67	67	182	86	80	50	5.9
OK60C-PSC-C4x2-112Z-R	60	40	70	56	56	130	95	80	50	7.5
OK60C-PSC-C4x2-112Z-L	60	40	70	56	56	130	95	80	50	7.5

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	E	F	G	H	A	B	CP Bar/PSL	Nm	Kg
OK60C-PSC-C4x2-52Y-R	40	65	25	26	26	149	103	80	50	4.8
OK60C-PSC-C4x2-52Y-L	40	65	25	26	26	149	103	80	50	4.8
OK60C-PSC-C5x2-64Y-R	50	73	28	32	32	170	128	80	70	6.9
OK60C-PSC-C5x2-64Y-L	50	73	28	32	32	170	128	80	70	6.9

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	C	E	F	G	A	B	CP Bar/PSL	Nm	Kg
OK60B-PSC-C4x2-110-R	40	134	110	17	118	135	95	80	50	9
OK60B-PSC-C4x2-110-L	40	134	110	17	118	135	95	80	50	9

● R:右手型 ● L:左手型
Right-hand type Left-hand type




訂貨型號 Order Code	D	D1	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
OK-DA60-PSC-C4-54-E	60	40	54	0	120	97	6000	80	40	4.6
OK-DA60-PSC-C4-60-I	60	40	60	0	120	97	6000	80	40	4.9

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	D1	C	E	F	A	B	Max R.P.M	CP Bar/PSL	Nm	Kg
OK-DF60-PSC-C4-70-E	60	40	111	70	85	143	98	6000	80	40	9.3
OK-DF60-PSC-C4-70-I	60	40	111	70	85	143	98	6000	80	40	9.4

● E:外冷 ● I:內冷
External coolant Internal coolant




訂貨型號 Order Code	D	D1	E	M	A	B	CP Bar/PSL	Nm	Kg
E-30-PSC-C3-60-R	30	32	60	34	50	61	80	35	1
E-30-PSC-C3-60-L	30	32	60	34	50	61	80	35	1
E-40-PSC-C4-75-R	40	40	75	41	75	75	80	50	2.2
E-40-PSC-C4-75-L	40	40	75	41	75	75	80	50	2.2
E-40-PSC-C5-85-R	40	50	85	41	75	82	80	70	3.2
E-40-PSC-C5-85-L	40	50	85	41	75	82	80	70	3.2
E-50-PSC-C4-65-R	50	40	65	49	70	83	80	50	2.2
E-50-PSC-C4-65-L	50	40	65	49	70	83	80	50	2.2
E-50-PSC-C5-85-R	50	50	85	49	83	90	80	70	3.2
E-50-PSC-C5-85-L	50	50	85	49	83	90	80	70	3.2
E-60-PSC-C5-75-R	60	50	75	58	80	100	80	70	5.7
E-60-PSC-C5-75-L	60	50	75	58	80	100	80	70	5.7
E-60-PSC-C6-95-R	60	63	95	58	84	111	80	90	6.1
E-60-PSC-C6-95-L	60	63	95	58	84	111	80	90	6.1

● R:右手型 ● L:左手型
Right-hand type Left-hand type



訂貨型號 Order Code	D	D1	C	E	F	M	A	B	CP Bar/PSL	Nm	Kg
B-30-PSC-C3-41-20-R	30	32	60	41	20	30	74	57	80	35	2.1
B-30-PSC-C3-41-20-L	30	32	60	41	20	30	74	57	80	35	2.1
B-30-PSC-C3-41-30-R	30	32	60	41	30	30	74	57	80	35	2.2
B-30-PSC-C3-41-30-L	30	32	60	41	30	30	74	57	80	35	2.2
B-40-PSC-C4-51-30-R	40	40	75	51	30	38	86	75	80	50	3.2
B-40-PSC-C4-51-30-L	40	40	75	51	30	38	86	75	80	50	3.2
B-40-PSC-C4-51-40-R	40	40	75	51	40	38	86	75	80	50	3.2
B-40-PSC-C4-51-40-L	40	40	75	51	40	38	86	75	80	50	3.2
B-40-PSC-C5-53-30-R	40	50	85	53	30	41	99	82	80	70	5.7
B-40-PSC-C5-53-30-L	40	50	85	53	30	41	99	82	80	70	5.7
B-40-PSC-C5-53-40-R	40	50	85	53	40	41	99	82	80	70	5.7
B-40-PSC-C5-53-40-L	40	50	85	53	40	41	99	82	80	70	5.7
B-50-PSC-C5-53-30-R	50	50	85	53	30	43	99	86	80	70	5.7
B-50-PSC-C5-53-30-L	50	50	85	53	30	43	99	86	80	70	5.7
B-50-PSC-C5-53-40-R	50	50	85	53	40	43	99	86	80	70	5.7
B-50-PSC-C5-53-40-L	50	50	85	53	40	43	99	86	80	70	5.7
B-60-PSC-C5-43-40-R	60	50	75	43	40	53	99	94	80	70	5.7
B-60-PSC-C5-43-40-L	60	50	75	43	40	53	99	94	80	70	5.7
B-60-PSC-C6-53-40-R	60	63	95	53	40	53	122	105	80	90	6
B-60-PSC-C6-53-40-L	60	63	95	53	40	53	122	105	80	90	6

● R:右手型 ● L:左手型
Right-hand type Left-hand type



訂貨型號 Order Code	D	E	F	A	B	C	G	H	CP Bar/PSL	Nm	Kg
STATIC-40-PSC-C3-R	32	19	40	95	38	62	20	G1/8-28	80	35	1.3
STATIC-40-PSC-C3-L											
STATIC-50-PSC-C4-R	40	24	50	125	48	58	25	G1/8-28	80	50	2.3
STATIC-50-PSC-C4-L											
STATIC-64-PSC-C5-R	50	32	64	146	64	72	32	G1/8-28	80	70	4.4
STATIC-64-PSC-C5-L											

● R:右手型 ● L:左手型
Right-hand type Left-hand type



訂貨型號 Order Code	C3	C4	C5	C6	C8	C10
法兰盘	C3-SDKH-法兰盘	C4-SDKH-法兰盘	C5-SDKH-法兰盘	C6-SDKH-法兰盘	C8-SDKH-法兰盘	C10-SDKH-法兰盘
拉杆	C3-SDKH-拉杆	C4-SDKH-拉杆	C5-SDKH-拉杆	C6-SDKH-拉杆	C8-SDKH-拉杆	C10-SDKH-拉杆
凸轮轴	C3-SDKH-凸轮轴	C4-SDKH-凸轮轴	C5-SDKH-凸轮轴	C6-SDKH-凸轮轴	C8-SDKH-凸轮轴	C10-SDKH-凸轮轴
拉爪	C3-SDKH-拉爪	C4-SDKH-拉爪	C5-SDKH-拉爪	C6-SDKH-拉爪	C8-SDKH-拉爪	C10-SDKH-拉爪
限位块	C3-SDKH-限位块	C4-SDKH-限位块	C5-SDKH-限位块	C6-SDKH-限位块	C8-SDKH-限位块	C10-SDKH-限位块
半月块	C3-SDKH-半月块	C4-SDKH-半月块	C5-SDKH-半月块	C6-SDKH-半月块	C8-SDKH-半月块	C10-SDKH-半月块
法兰锁紧螺丝	C3-SDKH-法兰锁紧螺丝	C4-SDKH-法兰锁紧螺丝	C5-SDKH-法兰锁紧螺丝	C6-SDKH-法兰锁紧螺丝	C8-SDKH-法兰锁紧螺丝	C10-SDKH-法兰锁紧螺丝
压缩弹簧	C3-SDKH-压缩弹簧	C4-SDKH-压缩弹簧	C5-SDKH-压缩弹簧	C6-SDKH-压缩弹簧	C8-SDKH-压缩弹簧	C10-SDKH-压缩弹簧
螺丝	C3-SDKH-螺丝	C4-SDKH-螺丝	C5-SDKH-螺丝	C6-SDKH-螺丝	C8-SDKH-螺丝	C10-SDKH-螺丝
O型圈 (爪)	C3-SDKH-O型圈 (爪)	C4-SDKH-O型圈 (爪)	C5-SDKH-O型圈 (爪)	C6-SDKH-O型圈 (爪)	C8-SDKH-O型圈 (爪)	C10-SDKH-O型圈 (爪)
O型圈 (杆)	C3-SDKH-O型圈 (杆)	C4-SDKH-O型圈 (杆)	C5-SDKH-O型圈 (杆)	C6-SDKH-O型圈 (杆)	C8-SDKH-O型圈 (杆)	C10-SDKH-O型圈 (杆)
滑动轴承	C3-SDKH-滑动轴承	C4-SDKH-滑动轴承	C5-SDKH-滑动轴承	C6-SDKH-滑动轴承	C8-SDKH-滑动轴承	C10-SDKH-滑动轴承
对顶波簧	C3-SDKH-对顶波簧	C4-SDKH-对顶波簧	C5-SDKH-对顶波簧	C6-SDKH-对顶波簧	C8-SDKH-对顶波簧	C10-SDKH-对顶波簧
负荷挡圈	C3-SDKH-负荷挡圈	C4-SDKH-负荷挡圈	C5-SDKH-负荷挡圈	C6-SDKH-负荷挡圈	C8-SDKH-负荷挡圈	C10-SDKH-负荷挡圈
定位销	C3-SDKH-定位销	C4-SDKH-定位销	C5-SDKH-定位销	C6-SDKH-定位销	C8-SDKH-定位销	C10-SDKH-定位销
方向销	C3-SDKH-方向销	C4-SDKH-方向销	C5-SDKH-方向销	C6-SDKH-方向销	C8-SDKH-方向销	C10-SDKH-方向销
堵油螺丝	C3-SDKH-堵油螺丝	C4-SDKH-堵油螺丝	C5-SDKH-堵油螺丝	C6-SDKH-堵油螺丝	C8-SDKH-堵油螺丝	C10-SDKH-堵油螺丝
滑动轴承	C3-SDKH-滑动轴承	C4-SDKH-滑动轴承	C5-SDKH-滑动轴承	C6-SDKH-滑动轴承	C8-SDKH-滑动轴承	C10-SDKH-滑动轴承